

#FITTINGS247



PRODUCT CATALOGUE

4TH EDITION



Ari Performance
ABARTH 1.3 Turbo



INSTA @belindaciric
MOTOREX 2025




Chris Champion
Datsun 13B Turbo

Danny Stojanovski
VL RB30



Castlemaine Rod Shop
War Bird, 565 Chev8

John
LJ Torana - SBC



RUBBER BRAIDED HOSES	2
100 SERIES RUBBER BRAID HOSE ENDS	3
TEFLON BRAIDED HOSES	4
200 SERIES TEFLON HOSE ENDS	5
PTFE ARAMID BRAIDED HOSE & TOOLING	6
500 SERIES CRIMP HOSES ENDS	7
400 SERIES HOSE & HOSES ENDS	8
CLAMPS & SEPARATORS	9
HARDLINE & ACCESSORIES	10
BARBED HOSE ENDS	11
AN FLARE ADAPTERS	13
ORB ADAPTERS	14
NPT ADAPTERS	15
METRIC ADAPTERS	16
PLUGS, REDUCERS & CAPS	17
BULKHEADS	18
TEES & Y BLOCKS	19
SENSOR ADAPTERS	20-21
BANJOS, GAUGES & ACCESSORIES	23
CARBIE & EFI FUEL RAILS	24
EFI ACCESSORIES	25
FILTERS & ACCESSORIES	26
EXTERNAL FUEL PUMPS	27
INTERNAL FUEL PUMPS	28
FUEL PUMP ACCESSORIES	29
FUEL TANKS	30
HEAT PRODUCTS	32
TURBO ACCESSORIES	33-34
FABRICATION - WELD ONS	35-36
S/S BRAKE FITTINGS & BRAKE LINE	37-39
OIL COOLERS & FANS	40
BREATHERS & ACCESSORIES	41
TRANSMISSION & POWER STEERING ACCESSORIES	42
LS PRODUCTS	44-45
TOOLS	46-47
SILICONE	49-50
APPAREL	51
FITTINGS SIZE & IDENTIFICATION CHART	52

#WARRANTY: 247 Performance Hose & Fittings are manufactured using quality materials to industry and engine specifications. With a continued quality control program we aim to offer the best product, service and price to our valued customers. 247 offers a full 12 months warranty from date of purchase on our entire range on manufacturer fault. Warranty is limited to the repair or replacement of the part and shall not exceed the original purchase price of the goods. Warranty does not cover transit damage, misuse, incorrect fitment or use of the product, proof of purchase will be required for all warranty claims. If there are any issues relating to warranty please contact the place of purchase. 247 and its logo are a registered trademark and their use will require written approval by 247 Performance Hose & Fittings. All pictures and text are representations of our current product range and may change from time to time during the current catalogue. If you have any questions or concerns please contact your local 247 Distributor. All care has been taken in the production of this catalogue, we take no responsibilities for any error in printing. For any fitment/assembly instructions or queries we can be contacted via sales@fittings247.com **Thank you for your support.**

100 & 450 SERIES HOSE

Our 100 series S/S braid offers a corrosion resistance multi-layer S/S braid for both durability and looks. Our black nylon 450 series hose offers a multi-layer hi tensile S/S wire which is located under the black nylon to help increase burst pressures and aid in tight radius bends to prevent kinking. The hose is then covered with nylon that helps prevent abrasions. This complete process offers a light weight option over the S/S 100 series hose.

- Suit 100 series cutter style hose ends.
- Recommended for Methanol, Oils and coolants.
- Min Temp -40°C



100 SERIES STAINLESS STEEL BRAIDED & 450 SERIES BLACK NYLON HOSE

SIZE	STAINLESS STEEL	BLACK S/S ANODISED	BLACK NYLON	LD (MM)	O.D (MM)	O.P (PSI)	B.P (PSI)
-4	100-04-1M	100-04BLK-1M	450-04-1M	5.5mm	11.1mm	1000 PSI	6000 PSI
-6	100-06-1M	100-06BLK-1M	450-06-1M	8.7mm	13.9mm	1000 PSI	6000 PSI
-8	100-08-1M	100-08BLK-1M	450-08-1M	11.1mm	16.1mm	1000 PSI	5000 PSI
-10	100-10-1M	100-10BLK-1M	450-10-1M	14.3mm	20.3mm	1000 PSI	5000 PSI
-12	100-12-1M	100-12BLK-1M	450-12-1M	17.5mm	23.8mm	1000 PSI	3500 PSI
-16	100-16-1M	100-16BLK-1M	450-16-1M	22.2mm	29.8mm	750 PSI	2000 PSI
-20	100-20-1M	100-20BLK-1M	450-20-1M	26.7mm	36.5mm	500 PSI	1500 PSI

*Hose is sold by the meter in continuous lengths



100 SERIES COLOURED HOSE END SOCKETS

SIZE	RED	BLACK	BLUE	SILVER
-4	SOCKET-14R	SOCKET-14BLK	SOCKET-14	SOCKET-14S
-6	SOCKET-16R	SOCKET-16BLK	SOCKET-16	SOCKET-16S
-8	SOCKET-18R	SOCKET-18BLK	SOCKET-18	SOCKET-18S
-10	SOCKET-110R	SOCKET-110BLK	SOCKET-110	SOCKET-110S
-12	SOCKET-112R	SOCKET-112BLK	SOCKET-112	SOCKET-112S
-16	SOCKET-116R	SOCKET-116BLK	SOCKET-116	SOCKET-116S
-20	SOCKET-120R	SOCKET-120BLK	SOCKET-120	SOCKET-120S

INNER COIL SUPPORT

SIZE	PART NO.	LENGTH
-10	INNER-10	1M
-12	INNER-12	1M
-16	INNER-16	1M
-20	INNER-20	1M

100 SERIES HOSE ENDS

247 fittings are made from 6061-T6 aluminium and CNC machined to ensure a precise, professional quality finish every time. Our 100 series full flow cutter design is assembled with quality Nitrile O-ring seals to ensure superior sealing. The full flow one-piece design offers superior strength along with a smooth uninterrupted flow from the flare to the hose tail. All our fittings undergo a forging process for added strength and durability then hand polished before anodising for a quality finish.

- 100 series hose ends suit our 100 & 450 series rubber braided hose.



YouTube

100 SERIES
RUBBER
BRAIDED HOSE
& AN FITTINGS
ASSEMBLY



STRAIGHT HOSE ENDS

SIZE (AN)	BLACK
-4	101-04BLK
-6	101-06BLK
-8	101-08BLK
-10	101-10BLK
-12	101-12BLK
-16	101-16BLK
-20	101-20BLK

30° HOSE ENDS

SIZE (AN)	BLACK
-4	107-04BLK
-6	107-06BLK
-8	107-08BLK
-10	107-10BLK
-12	107-12BLK
-16	107-16BLK

45° HOSE ENDS

SIZE (AN)	BLACK
-4	102-04BLK
-6	102-06BLK
-8	102-08BLK
-10	102-10BLK
-12	102-12BLK
-16	102-16BLK
-20	102-20BLK

60° HOSE ENDS

SIZE (AN)	BLACK
-4	108-04BLK
-6	108-06BLK
-8	108-08BLK
-10	108-10BLK
-12	108-12BLK
-16	108-16BLK



90° HOSE ENDS

SIZE (AN)	BLACK
-4	103-04BLK
-6	103-06BLK
-8	103-08BLK
-10	103-10BLK
-12	103-12BLK
-16	103-16BLK
-20	103-20BLK

120° HOSE ENDS

SIZE (AN)	BLACK
-4	104-04BLK
-6	104-06BLK
-8	104-08BLK
-10	104-10BLK
-12	104-12BLK
-16	104-16BLK

150° HOSE ENDS

SIZE (AN)	BLACK
-4	105-04BLK
-6	105-06BLK
-8	105-08BLK
-10	105-10BLK
-12	105-12BLK
-16	105-16BLK

180° HOSE ENDS

SIZE (AN)	BLACK
-4	106-04BLK
-6	106-06BLK
-8	106-08BLK
-10	106-10BLK
-12	106-12BLK
-16	106-16BLK

200 & 250 SERIES HOSE

Our 200 and 250 series hose has a PTFE inner liner and uses the highest quality S/S available. The PTFE inner liner not only offers a greater operating and burst pressure but does not permeate like rubber hoses making it the perfect choice for exotic blends of all fuels and emission controlled cars.

* Suitable for brakes, power steering, nitrous, vacuum, pressure, oils, all fuels and hydraulic applications.

* Min temp -70 to 250 deg



200 SERIES STAINLESS STEEL BRAIDED AND 250 SERIES BLACK NYLON HOSE

SIZE (AN)	BLACK NYLON	BLACK S/S ANODISED	STAINLESS STEEL	I.D (MM)	O.D (MM)	O.P (PSI)	B.P (PSI)
-3	250-03-1M	200-03BLK-1M	200-03-1M	3.5	6.3	4000PSI	12000PSI
-4	250-04-1M	200-04BLK-1M	200-04-1M	4.8	7.6	4000PSI	12000PSI
-6	250-06-1M	200-06BLK-1M	200-06-1M	8.1	10.9	3000PSI	10000PSI
-8	250-08-1M	200-08BLK-1M	200-08-1M	10.6	13.7	2500PSI	8000PSI
-10	250-10-1M	200-10BLK-1M	200-10-1M	12.9	16	2000PSI	6000PSI
-12	250-12-1M	200-12BLK-1M	200-12-1M	16.2	19.3	1000PSI	4000PSI

*Hose is sold by the meter in continuous lengths



STAINLESS STEEL STRAIGHT HOSE ENDS STEEL PTFE

SIZE (AN)	S/S	S/S BLACK
-3	201-03SS	201-03SSBLK
-4	201-04SS	201-04SSBLK
-4 to -3 hose	201-04-03SS	



STAINLESS STEEL 45° HOSE ENDS

SIZE (AN)	S/S	S/S BLACK
-3	202-03SS	202-03SSBLK
-4	202-04SS	202-04SSBLK



STAINLESS STEEL 90° HOSE ENDS

SIZE (AN)	S/S	S/S BLACK
-3	203-03SS	203-03SSBLK
-4	203-04SS	203-04SSBLK



REPLACEMENT OLIVE FOR 200 SERIES TEFLON FITTINGS

SUIT	PART NO.
-3 STAINLESS STEEL	OLIVE-200
-4 STAINLESS STEEL	OLIVE-201
-3 ALLOY	OLIVE-203
-4 ALLOY	OLIVE-204
-6 ALLOY	OLIVE-206
-8 ALLOY	OLIVE-208
-10 ALLOY	OLIVE-210
-12 ALLOY	OLIVE-212



200 SERIES COLOURED HOSE END SOCKETS

SIZE	RED	BLACK	BLUE	SILVER
-3	SOCKET-23R	SOCKET-23BLK	SOCKET-23	SOCKET-23S
-4	SOCKET-24R	SOCKET-24BLK	SOCKET-24	SOCKET-24S
-6	SOCKET-26R	SOCKET-26BLK	SOCKET-26	SOCKET-26S
-8	SOCKET-28R	SOCKET-28BLK	SOCKET-28	SOCKET-28S
-10	SOCKET-210R	SOCKET-210BLK	SOCKET-210	SOCKET-210S
-12	SOCKET-212R	SOCKET-212BLK	SOCKET-212	SOCKET-212S



HEAT SLEEVE *SEE PAGE 32

200 SERIES HOSE ENDS

247 Fittings are made from 6061-T6 aluminium and CNC machined to ensure a precise, professional quality finish every time. Our 200 series full flow PTFE hose end comes with a compression olive that offers a multi ribbed design for a superior sealing. Our one-piece full flow hose ends offer superior strength with a smooth uninterrupted flow from the flare to the hose tail. All our fittings undergo a forging process for added strength and durability then hand polished before anodising for a quality finish.



YouTube

200 SERIES
TEFLON PTFE
HOSE & AN
FITTINGS
ASSEMBLY



STRAIGHT TEFLON HOSE ENDS

SIZE (AN)	BLACK
-3	201-03DBLK
-4	201-04DBLK
-6	201-06DBLK
-8	201-08DBLK
-10	201-10DBLK
-12	201-12DBLK



30° FULL FLOW HOSE ENDS

SIZE (AN)	BLACK
-4	207-04DBLK
-6	207-06DBLK
-8	207-08DBLK
-10	207-10DBLK
-12	207-12DBLK



45° FULL FLOW HOSE ENDS

SIZE (AN)	BLACK
-3	202-03DBLK
-4	202-04DBLK
-6	202-06DBLK
-8	202-08DBLK
-10	202-10DBLK
-12	202-12DBLK



60° HOSE ENDS

SIZE (AN)	BLACK
-4	208-04DBLK
-6	208-06DBLK
-8	208-08DBLK
-10	208-10DBLK
-12	208-12DBLK



90° HOSE ENDS

SIZE (AN)	BLACK
-3	203-03DBLK
-4	203-04DBLK
-6	203-06DBLK
-8	203-08DBLK
-10	203-10DBLK
-12	203-12DBLK



120° HOSE ENDS

SIZE (AN)	BLACK
-4	204-04DBLK
-6	204-06DBLK
-8	204-08DBLK
-10	204-10DBLK
-12	204-12DBLK



150° HOSE ENDS

SIZE (AN)	BLACK
-4	205-04DBLK
-6	205-06DBLK
-8	205-08DBLK
-10	205-10DBLK
-12	205-12DBLK



180° HOSE ENDS

SIZE (AN)	BLACK
-4	206-04DBLK
-6	206-06DBLK
-8	206-08DBLK
-10	206-10DBLK
-12	206-12DBLK

500 SERIES

The 247 Hyperflex Hose is engineered for superior performance in demanding fluid transfer applications. Featuring a smooth bore anti-static PTFE liner, it minimizes turbulence and maximizes flow rates – unlike traditional convoluted hoses. Its externally convoluted outer allows for a tighter bend radius without compromising durability.

Wrapped in a robust Aramid fiber braid, the Hyperflex offers outstanding thermal and flame resistance. Aramid does not melt, drip, or support combustion under normal atmospheric conditions, making it ideal for high-risk environments. This hose is suitable for all fuels, oils, gases, and liquids.

- Tested to SAE J1737
- Temp range: -150°C to 260°C*




CONVOLUTED PTFE | SMOOTH BORE | ANTI STATIC | ARAMID BRAID

500 SERIES HYPERFLEX PTFE ANTI-STATIC ARAMID BRAID

HOSE SIZE	PART NO.	ID (MM)	O.D (MM)	M.B.R (MM)	O.P (PSI)	B.P (PSI)	WEIGHT P/M (KG)
-4	500-04A	9.80	9.70	38	1110	3300	0.056
-6	500-06A	10.10	13.90	50	1010	3000	0.100
-8	500-08A	13.60	17.50	76	750	2200	0.140
-10	500-10A	16.80	21.50	100	630	1900	0.205
-12	500-12A	19.90	24.50	125	520	1550	0.240
-16	500-16A	26.30	31.50	150	500	1500	0.360

The O.P and B.P listed above should be reduced by 1% for each 1 °C above 130 °C up to a maximum of 180 °C M.B.R = Minimum Bend Radius



CRIMP COLLARS SUIT 500 SERIES FITTINGS

All fittings come with a collar, these collars are sold individually for lost, damaged or the reuse of the 500 series fitting.

SIZE (AN)	SILVER	BLACK
-4	510-04C	510-04CBK
-6	510-06C	510-06CBK
-8	510-08C	510-08CBK
-10	510-10C	510-10CBK
-12	510-12C	510-12CBK
-16	510-16C	510-16CBK



500 SERIES CRIMP DIES

These dies are to suit the 500 series range. Each size hose has its own die to ensure the correct final crimp O.D

SIZE (AN)	PART NO.
-4	CRIMP-D4
-6	CRIMP-D6
-8	CRIMP-D8
-10	CRIMP-D10
-12	CRIMP-D12
-16	CRIMP-D16

Our 500 series hose crimp machines come complete with a Pneumatic foot pump (which requires 80psi of air) A die magnet for ease of removal, die grease, compression rings and a fully adjustable metric Micrometer to allow for all hose combinations to be crimped to the exact manufacturer's specifications. Weighing only 17kg the Crimp-1 machine is the perfect portal machine where a compressor is available. The base has holes in it to allow for it to be bolted to our die tray, bench or van.

- Dies sold separately



CRIMP MACHINE WITH PNEUMATIC PUMP

DESCRIPTION	PART NO.
CRIMP MACHINE	CRIMP-1

DIE CASE SUIT AND MACHINE STAND

This great little machine stand comes with a sliding draw that houses all dies and accessories for our machine.

DIES	PART NO.
FITS ALL DIES	CRIMP-DCASE



NOTE: Dies and accessories not included.



COMPLETE

500 SERIES HOSE END

247 fittings are made from 6061-T6 aluminium and CNC machined to ensure a precise, professional quality finish every time. Our 500 series hose ends offer a light weight socket and come with the crimp collar. Crimp collars can also be purchased separately. The full flow one piece design offers superior strength along with an uninterrupted flow from the flare to the hose tail. Our fittings undergo a forging process for added strength and durability, then hand polished before anodising for a quality finish.

- Suits our 500 series Hyperflex Aramid braided hose



STRAIGHT HOSE END WITH COLLAR

SIZE (AN)	PART NO.
-4	501-04BLK
-6	501-06BLK
-8	501-08BLK
-10	501-10BLK
-12	501-12BLK
-16	501-16BLK



30° HOSE END WITH COLLAR

SIZE (AN)	PART NO.
-4	507-04BLK
-6	507-06BLK
-8	507-08BLK
-10	507-10BLK
-12	507-12BLK
-16	507-16BLK



45° HOSE END WITH COLLAR

SIZE (AN)	PART NO.
-4	502-04BLK
-6	502-06BLK
-8	502-08BLK
-10	502-10BLK
-12	502-12BLK
-16	502-16BLK



60° HOSE END WITH COLLAR

SIZE (AN)	PART NO.
-4	508-04BLK
-6	508-06BLK
-8	508-08BLK
-10	508-10BLK
-12	508-12BLK
-16	508-16BLK



90° HOSE END WITH COLLAR

SIZE (AN)	PART NO.
-4	503-04BLK
-6	503-06BLK
-8	503-08BLK
-10	503-10BLK
-12	503-12BLK
-16	503-16BLK



120° HOSE END WITH COLLAR

SIZE (AN)	PART NO.
-4	504-04BLK
-6	504-06BLK
-8	504-08BLK
-10	504-10BLK
-12	504-12BLK
-16	504-16BLK



150° HOSE END WITH COLLAR

SIZE (AN)	PART NO.
-4	505-04BLK
-6	505-06BLK
-8	505-08BLK
-10	505-10BLK
-12	505-12BLK
-16	505-16BLK



180° HOSE END WITH COLLAR

SIZE (AN)	PART NO.
-4	506-04BLK
-6	506-06BLK
-8	506-08BLK
-10	506-10BLK
-12	506-12BLK
-16	506-16BLK

400 SERIES HOSE

Our push on hose has been designed to use our 400 series hose ends. The durable wrapped outer liner offers a heat and protective barrier against its environments.

Our 400 series hose ends are made from 6061-T6 and offer a smooth uninterrupted flow from the flare to the tail.

- The use of a clamp is recommended where temps exceed 60°C
- Temp range -40°C - 100°
- Recommended for Methanol, oils and coolants.



4000 SERIES -8(1/2") I.D W.P 300PSI



YouTube

400 SERIES
PUSH LOCK
RUBBER HOSE
& AN FITTINGS
ASSEMBLY

4000 SERIES E85 COMPATIBLE PUSH LOCK HOSE 7.9MM - 5/16"

SIZE (AN)	BLACK	ID (MM-INCH)	O.D (MM)	OPP PRESSURE	BURST PRESSURE
-4	400-04-1MBLK	6.4mm - 1/4"	12.7mm	300PSI	1000PSI
-5	400-05-1MBLK	7.9mm - 5/16"	13.7mm	300PSI	1000PSI
-6	400-06-1MBLK	9.5mm - 3/8"	15.7mm	300PSI	1000PSI
-8	400-08-1MBLK	12.7mm - 1/2"	19.0mm	300PSI	1000PSI
-10	400-10-1MBLK	15.9mm - 5/8"	22.9mm	300PSI	1000PSI
-12	400-12-1MBLK	19.1mm - 3/4"	26.2mm	300PSI	1000PSI

*Hose is sold by the metre in continuous lengths



STRAIGHT HOSE ENDS

SIZE (AN)	BLACK
-04	401-04BLK
-06	401-06BLK
-08	401-08BLK
-10	401-10BLK
-12	401-12BLK



30° FULL FLOW HOSE ENDS

SIZE (AN)	BLACK
-04	407-04BLK
-06	407-06BLK
-08	407-08BLK
-10	407-10BLK
-12	407-12BLK



45° FULL FLOW HOSE ENDS

SIZE (AN)	BLACK
-04	402-04BLK
-06	402-06BLK
-08	402-08BLK
-10	402-10BLK
-12	402-12BLK



60° FULL FLOW HOSE ENDS

SIZE (AN)	BLACK
-04	408-04BLK
-06	408-06BLK
-08	408-08BLK
-10	408-10BLK
-12	408-12BLK



90° HOSE ENDS

SIZE (AN)	BLACK
-04	403-04BLK
-06	403-06BLK
-08	403-08BLK
-10	403-10BLK
-12	403-12BLK



120° HOSE ENDS

SIZE (AN)	BLACK
-04	404-04BLK
-06	404-06BLK
-08	404-08BLK
-10	404-10BLK
-12	404-12BLK



150° HOSE ENDS

SIZE (AN)	BLACK
-04	405-04BLK
-06	405-06BLK
-08	405-08BLK
-10	405-10BLK
-12	405-12BLK



180° HOSE ENDS

SIZE (AN)	BLACK
-04	406-04BLK
-06	406-06BLK
-08	406-08BLK
-10	406-10BLK
-12	406-12BLK



PLIERS
PAGE 29



HEX HOSE FINISHER

SIZE (ID)	BLUE	BLACK	RED	SILVER
12mm	150-04	150-04BLK	150-04R	150-04S
14.3mm	150-05	150-05BLK	150-05R	150-05S
15mm	150-06	150-06BLK	150-06R	150-06S
16.5mm	150-07	150-07BLK	150-07R	150-07S
17mm	150-08	150-08BLK	150-08R	150-08S
20mm	150-10	150-10BLK	150-10R	150-10S
24.95mm	150-12	150-12BLK	150-12R	150-12S
28.5mm	150-14	150-14BLK	150-14R	150-14S
30.5mm	150-16	150-16BLK	150-16R	150-16S
40.5mm	150-20	150-20BLK	150-20R	150-20S
44.5mm	150-24	150-24BLK	150-24R	150-24S
49.2mm	150-28	150-28BLK	150-28R	150-28S
52mm	150-30	150-30BLK	150-30R	150-30S
54mm	150-32	150-32BLK	150-32R	150-32S

BLACK S/S DUAL BAND HOSE CLAMP

ID (MM)	PART NO.
26-39	HC-2639BLK
39-56	HC-3956BLK
48-65	HC-4865BLK
63-80	HC-6380BLK
73-90	HC-7390BLK
78-95	HC-7895BLK
85-105	HC-85105BLK
100-120	HC-100120BLK

PUSH LOCK CLAMPS (5PK)

HOSE SIZE	PART NO.
-4	400-C04
-6	400-C06
-8	400-C08
-10	400-C10
-12	400-C12



S/S P-CLAMP (5PK)

PREFIX	PART NO.
05	PC-05SS
06	PC-06SS
10	PC-10SS
13	PC-13SS



S/S HOSE CLAMPS

ID (MM)	QTY	PART NO.
6-12mm	5PK	HC-0612
9-16mm	5PK	HC-0916
12-19mm	5PK	HC-1219
16-25mm	5PK	HC-1625
21-44mm	5PK	HC-2144
27-51mm	5PK	HC-2751
33-57mm	5PK	HC-3357
46-70mm	2PK	HC-4670
60-83mm	2PK	HC-6083
76-92mm	2PK	HC-7692
91-114mm	2PK	HC-9114

P-CLAMP BLACK

PREFIX	PART NO.
05	PC-05
06	PC-06
08	PC-08
10	PC-10
11	PC-11
13	PC-13
14	PC-14
16	PC-16
19	PC-19
24	PC-24
28	PC-28
38	PC-38
51	PC-51

SINGLE BILLET P-CLAMP

PREFIX	BLACK
05	BPC-05BLK
06	BPC-06BLK
08	BPC-08BLK
10	BPC-10BLK
11	BPC-11BLK
13	BPC-13BLK
14	BPC-14BLK
16	BPC-16BLK
19	BPC-19BLK
24	BPC-24BLK

TWIN BILLET CLAMP

PREFIX	BLACK
05	BPC-205BLK
06	BPC-206BLK
08	BPC-208BLK
10	BPC-210BLK
11	BPC-211BLK
13	BPC-213BLK
14	BPC-214BLK
16	BPC-216BLK
19	BPC-219BLK
24	BPC-224BLK
28	BPC-228BLK

STEPPED BILLET HOSE CLAMP

PREFIX	BLACK
11 & 14	BPC-11-14BLK
11 & 16	BPC-11-16BLK
14 & 16	BPC-14-16BLK

CLAMP SIZING GUIDE

PREFIX	BRAID	PTFE	H/LINE	P-LOCK
05			3/16	
06		-3	1/4	
08		-4	5/16	
10			3/8	
11	-4	-6		
13			1/2	-4
14	-6	-8		
16	-8	-10	5/8	-6
19	-10	-12		-8
24	-12			-10
28	-16			-12
38	-20			
51				2" ID



YouTube
CLAMP SIZING
CHART GUIDE



ALLOY HARDLINE

SIZE	BLACK	RAW	LENGTH
1/4"	HL-14BLK	HL-14	7M
5/16"	HL-516BLK	HL-516	7M
3/8"	HL-38BLK	HL-38	7M
1/2"	HL-12BLK	HL-12	7M
5/8"	HL-58BLK	HL-58	7M

TUBE TO MALE AN ADAPTERS

SIZE (AN)	HARDLINE	BLACK
-4	1/4	110-04BLK
-6	5/16	110-05BLK
-6	3/8	110-06BLK
-8	1/2	110-08BLK
-10	5/8	110-10BLK



ALUMINIUM TUBE NUT TO SUIT HARD LINE TUBE

SIZE (AN)	HARDLINE	BLACK
-3	3/16	818-03BLK
-4	1/4	818-04BLK
-6	5/16	818-06BLK
-6	3/8	818-06BLK
-8	1/2	818-08BLK
-10	5/8	818-10BLK

*Suits tube sleeves hard line adapters

ALUMINIUM TUBE SLEEVE TO SUIT HARD LINE TUBE

SIZE (AN)	HARDLINE	BLACK
-3	3/16	819-03BLK
-4	1/4	819-04BLK
-6	5/16	819-05BLK
-6	3/8	819-06BLK
-8	1/2	819-08BLK
-10	5/8	819-10BLK

*Suits tube nuts hard line adapters

TUBE TO FEMALE AN ADAPTERS

SIZE	HARDLINE	BLACK
-4	1/4	109-04BLK
-6	5/16	109-05BLK
-6	3/8	109-06BLK
-8	1/2	109-08BLK
-10	5/8	109-10BLK



HARDLINE PIPE CUTTER

Our durable pipe cutters provide fast, clean and consistent pipe cutting on our alloy, steel and mild steel pipe.

DESCRIPTION	PART NO.
3-28mm hardline	98-2013



PIPE STRAIGHTENER

Vice mounted pipe straightener for brake and fuel hardlines.

DESCRIPTION	PART NO.
3/16 to 1/2 hardline	98-2012



37 DEGREE FLARE TOOL

Our 37 degree single flare tool provides smooth, uniformed flares to make converting hard lines to AN fittings easy.

SIZE	PART NO.
1/8 to 3/4 hardline	98-2007



STRAIGHT HOSE BARB

AN	BARB	PART NO.
-6	5/16"	411-05BLK
-6	3/8"	411-06BLK
-8	1/2"	411-08BLK
-10	1/2"	411-10BLK
-16	1"	411-16BLK
-20	1-1/2"	411-20BLK



45° HOSE BARB

AN	BARB	PART NO.
-6	5/16"	412-05BLK
-6	3/8"	412-06BLK
-8	1/2"	412-08BLK



90° HOSE BARB

AN	BARB	PART NO.
-6	5/16"	413-05BLK
-6	3/8"	413-06BLK
-8	1/2"	413-08BLK



STRAIGHT BARB TO NPT

NPT	BARB	PART NO.
1/8	3/16	421-02-03BLK
1/8	1/8	421-02BLK
1/8	1/4	421-02-04BLK
1/8	5/16	421-02-05BLK
1/4	1/4	421-04BLK
1/4	5/16	421-04-05BLK
1/4	3/8	421-04-06BLK
3/8	3/8	421-06BLK
3/8	5/16	421-06-05BLK
3/8	1/2	421-06-08BLK
1/2	3/8	421-08-06BLK
1/2	1/2	421-08BLK



45° BARB TO NPT

NPT	BARB	PART NO.
1/8	3/16	422-02-03BLK
1/8	1/8	422-02BLK
1/8	1/4	422-02-04BLK
1/8	5/16	422-02-05BLK
1/4	1/4	422-04BLK
1/4	5/16	422-04-05BLK
1/4	3/8	422-04-06BLK
3/8	3/8	422-06BLK
3/8	5/16	422-06-05BLK
3/8	1/2	422-06-08BLK
1/2	3/8	422-08-06BLK
1/2	1/2	422-08BLK



THREAD
PASTE
PAGE 47

90° BARB TO NPT

NPT	BARB	PART NO.
1/8	3/16	423-02-03BLK
1/8	1/8	423-02BLK
1/8	1/4	423-02-04BLK
1/8	5/16	423-02-05BLK
1/4	1/4	423-04BLK
1/4	5/16	423-04-05BLK
1/4	3/8	423-04-06BLK
3/8	3/8	423-06BLK
3/8	5/16	423-06-05BLK
3/8	1/2	423-06-08BLK
1/2	3/8	423-08-06BLK
1/2	1/2	423-08BLK



METRIC TO BARB (SUIT BOSCH PUMPS)

THREAD	BARB	PART NO.
M10 x 1	3/8	729-01
M12 x 1.5	3/8	731-01
M12 x 1.5	1/2	731-02
M14 x 1.5	3/8	732-02
M14 x 1.5	1/2	732-03
M18 x 1.5	3/8	734-01
M18 x 1.5	1/2	734-02



AN FLARE TO BARB

AN	BARB	PART NO.
-6	1/4	817-05BLK
-6	5/16	817-06BLK
-8	3/8	817-08-06BLK
-8	1/2	817-08BLK
-10	1/2	817-10-08BLK
-10	5/8	817-10BLK



ORB TO BARB


ORB	BARB	PART NO.
-6	1/4	414-06-04BLK
-6	5/16	414-06-05BLK
-6	3/8	414-06BLK
-8	5/16	414-08-05BLK
-8	3/8	414-08-06BLK
-8	1/2	414-08BLK
-10	3/8	414-10-06BLK
-10	1/2	414-10-08BLK



Jack Mills
Suzuki Swift, LS 6.0L



Steve Dimech
Mazda Capella, 13B turbo




Ben Bolton
Ford Capri, Supercharged
twin turbo Barra



Adam Ince
Mazda RX2, 1.5JZ



Fadi Elias
Ford XY, Blown 408



Andy D'roza
Torana Hatch,
Procharged Dart LS Next



MALE FLARE UNION

AN1	AN2	BLACK
-3	-3	815-03BLK
-4	-3	815-04-03BLK
-4	-4	815-04BLK
-6	-4	815-06-04BLK
-6	-6	815-06BLK
-8	-6	815-08-06BLK
-8	-8	815-08BLK
-10	-6	815-10-06BLK
-10	-8	815-10-08BLK
-10	-10	815-10BLK
-12	-6	815-12-06BLK
-12	-8	815-12-08BLK
-12	-10	815-12-10BLK
-12	-12	815-12BLK
-16	-10	815-16-10BLK
-16	-12	815-16-12BLK
-16	-16	815-16BLK
-20	-12	815-20-12BLK
-20	-16	815-20-16BLK



MALE TO MALE WITH 1/8" PORT

AN	BLACK
-4	141-04BLK
-6	141-06BLK
-8	141-08BLK
-10	141-10BLK
-12	141-12BLK
-16	141-16BLK



45° FULL FLOW UNION

AN	BLACK
-3	522-03BLK
-4	522-04BLK
-6	522-06BLK
-8	522-08BLK
-10	522-10BLK
-12	522-12BLK
-16	522-16BLK



90° FULL FLOW UNION

AN	BLACK
-3	523-03BLK
-4	523-04BLK
-6	523-06BLK
-8	523-08BLK
-10	523-10BLK
-12	523-12BLK
-16	523-16BLK



FEMALE TO MALE WITH 1/8" PORT

AN	BLACK	S/STEEL
-3	140-03BLK	140-03SS
-4	140-04BLK	
-6	140-06BLK	
-8	140-08BLK	
-10	140-10BLK	
-12	140-12BLK	
-16	140-16BLK	



45° FEMALE TO MALE COUPLER

AN	BLACK
-4	142-04BLK
-6	142-06BLK
-8	142-08BLK
-10	142-10BLK
-12	142-12BLK
-16	142-16BLK



90° FEMALE TO MALE COUPLER

AN	BLACK
-4	143-04BLK
-6	143-06BLK
-8	143-08BLK
-10	143-10BLK
-12	143-12BLK
-16	143-16BLK



MALE TO FEMALE 1 INCH EXTENSION

SIZE (AN)	BLACK
-6	952-06BLK
-8	952-08BLK
-10	952-10BLK
-12	952-12BLK



FEMALE TO FEMALE COUPLER

SIZE (AN)	BLACK	S/STEEL
-03	131-03BLK	131-03SS
-04	131-04BLK	
-06	131-06BLK	
-08	131-08BLK	
-10	131-10BLK	
-12	131-12BLK	



45° FULL FLOW FEMALE COUPLER

AN	BLACK
-4	132-04BLK
-6	132-06BLK
-8	132-08BLK
-10	132-10BLK
-12	132-12BLK
-16	132-16BLK



90° FEMALE TO FEMALE COUPLER

AN	BLACK
-4	133-04BLK
-6	133-06BLK
-8	133-08BLK
-10	133-10BLK
-12	133-12BLK
-16	133-16BLK



ORB MALE FLARE ADAPTER

AN	ORB	BLACK
-4	-4	920-04BLK
-4	-6	920-04-06BLK
-4	-8	920-04-08BLK
-4	-10	920-04-10BLK
-6	-6	920-06BLK
-6	-8	920-06-08BLK
-6	-10	920-06-10BLK
-8	-8	920-08BLK
-8	-6	920-08-06BLK
-8	-10	920-08-10BLK
-8	-12	920-08-12BLK
-10	-10	920-10BLK
-10	-6	920-10-06BLK
-10	-8	920-10-08BLK
-10	-12	920-10-12BLK
-10	-16	920-10-16BLK
-12	-12	920-12BLK
-12	-8	920-12-08BLK
-12	-10	920-12-10BLK
-12	-16	920-12-16BLK
-16	-16	920-16BLK
-16	-12	920-16-12BLK
-20	-20	920-20BLK



ORB PORT PLUG

SIZE (AN)	BLACK
-3	814-03BLK
-4	814-04BLK
-6	814-06BLK
-8	814-08BLK
-10	814-10BLK
-12	814-12BLK
-16	814-16BLK



ORB PLUG WITH 1/8TH

SIZE	BLACK
-6	813-06-02 BLK
-8	813-08-02BLK
-10	813-10-02BLK
-12	813-12-02BLK



45° ORB MALE FLARE ADAPTER

AN	ORB	BLACK
-4	-4	922-04BLK
-4	-6	922-04-06BLK
-6	-6	922-06BLK
-6	-8	922-06-08BLK
-8	-8	922-08BLK
-8	-6	922-08-06BLK
-8	-10	922-08-10BLK
-10	-10	922-10BLK
-12	-12	922-12BLK



FEMALE ORB TEE

SIZE (AN)	BLACK
-3	938-03BLK
-4	938-04BLK
-6	938-06BLK
-8	938-08BLK
-10	938-10BLK
-12	938-12BLK



NBR O-RING KIT (E85 & METHANOL)

SIZE	QTY	PART NO.
-3	5pk	NBR-03
-4	5pk	NBR-04
-6	5pk	NBR-06
-8	5pk	NBR-08
-10	5pk	NBR-10
-12	5pk	NBR-12
-16	5pk	NBR-16
-20	5pk	NBR-20



90° ORB MALE FLARE ADAPTER

AN	ORB	BLACK
-4	-4	923-04BLK
-4	-6	923-04-06BLK
-6	-6	923-06BLK
-6	-8	923-06-08BLK
-8	-8	923-08BLK
-8	-6	923-08-06BLK
-8	-10	923-08-10BLK
-10	-8	923-10-08BLK
-10	-10	923-10BLK
-10	-12	923-10-12BLK
-12	-12	923-12BLK



ORB TO FEMALE SWIVEL

SWIVEL	ORB	BLACK
-6	-6	921-06BLK
-6	-8	921-06-08BLK
-6	-10	921-06-10BLK
-8	-8	921-08BLK
-8	-6	921-08-06BLK
-8	-10	921-08-10BLK
-8	-12	921-08-12BLK
-10	-10	921-10BLK
-10	-8	921-10-08BLK
-10	-12	921-10-12BLK
-12	-12	921-12BLK



ORB BANJO TO AN

ORB	AN	PART NO.
-8 ORB	-6	919-06-08BLK
-10 ORB	-6	919-06-10BLK
-8 ORB	-8	919-08BLK
-10 ORB	-8	919-08-10BLK
-10 ORB	-10	919-10BLK



STRAIGHT MALE FLARE ADAPTER

THREAD/AN	BLACK
1/8" NPT TO -3AN	816-03BLK
1/4" NPT TO -3AN	816-03-04BLK
1/16" NPT TO -4AN	816-04-01BLK
1/8" NPT TO -4AN	816-04BLK
1/4" NPT TO -4AN	816-04-04BLK
1/4" NPT TO -6AN	816-06BLK
1/8" NPT TO -6AN	816-06-02BLK
3/8" NPT TO -6AN	816-06-06BLK
1/2" NPT TO -6AN	816-06-08BLK
3/8" NPT TO -8AN	816-08BLK
1/4" NPT TO -8AN	816-08-04BLK
1/2" NPT TO -8AN	816-08-08BLK
3/4" NPT TO -8AN	816-08-12BLK
1/2" NPT TO -10AN	816-10BLK
3/8" NPT TO -10AN	816-10-06BLK
3/4" NPT TO -10AN	816-10-12BLK
3/4" NPT TO -12AN	816-12BLK
1/2" NPT TO -12AN	816-12-08BLK
1" NPT TO -12AN	816-12-16BLK
1" NPT TO -16AN	816-16BLK
3/4" NPT TO -16AN	816-16-12BLK
1-1/4" NPT TO -20AN	816-20BLK
1" NPT TO -20AN	816-20-16BLK



45° NPT FEMALE TO MALE

THREAD	BLACK
1/8" TO 1/8"	915-02BLK
1/4" TO 1/4"	915-04BLK
3/8" TO 3/8"	915-06BLK



90° NPT FEMALE TO MALE

THREAD	BLACK
1/8" TO 1/8"	914-02BLK
1/4" TO 1/4"	914-04BLK
3/8" TO 3/8"	914-06BLK



45° FULL FLOW ADAPTER

THREAD/AN	BLACK
1/8" NPT TO -3AN	822-03BLK
1/8" NPT TO -4AN	822-04BLK
1/4" NPT TO -6AN	822-06BLK
3/8" NPT TO -6AN	822-06-06BLK
3/8" NPT TO -8AN	822-08BLK
1/2" NPT TO -10AN	822-10BLK
3/4" NPT TO -12AN	822-12BLK
3/4" NPT TO -16AN	822-16BLK



NPT MALE COUPLER

THREAD	BLACK
1/8" NPT	911-02BLK
1/4" NPT	911-04BLK
3/8" NPT	911-06BLK
1/2" NPT	911-08BLK
3/4" NPT	911-12BLK



NPT TO AN

AN	FEMALE NPT	BLACK
-3	1/8	370-03BLK
-4	1/8	370-04BLK



90° NPT TO AN

AN	FEMALE NPT	BLACK
-3	1/8	373-03BLK
-4	1/8	373-04BLK



90° FULL FLOW ADAPTER

THREAD/AN	BLACK
1/8" NPT TO -3AN	823-03BLK
1/4" NPT TO -3AN	823-03-04BLK
1/8" NPT TO -4AN	823-04BLK
1/4" NPT TO -4AN	823-04-04BLK
3/8" NPT TO -4AN	823-04-06BLK
1/4" NPT TO -6AN	823-06BLK
1/8" NPT TO -6AN	823-06-02BLK
3/8" NPT TO -6AN	823-06-06BLK
1/2" NPT TO -6AN	823-06-08BLK
3/8" NPT TO -8AN	823-08BLK
1/4" NPT TO -8AN	823-08-04BLK
1/2" NPT TO -8AN	823-08-08BLK
1/2" NPT TO -10AN	823-10BLK
3/8" NPT TO -10AN	823-10-06BLK
3/4" NPT TO -10AN	823-10-12BLK
3/4" NPT TO -12AN	823-12BLK
1/2" NPT TO -12AN	823-12-08BLK
1" NPT TO -16AN	823-16BLK
3/4" NPT TO -16AN	823-16-12BLK



MALE TEE WITH NPT ON SIDE

THREAD/AN	BLACK
1/8" TO -3AN	825-03BLK
1/8" TO -4AN	825-04BLK
1/4" TO -6AN	825-06BLK
3/8" TO -8AN	825-08BLK
1/2" TO -10AN	825-10BLK
3/4" TO -12AN	825-12BLK



MALE TEE WITH NPT ON RUN

THREAD/AN	BLACK
1/8" TO -4AN	826-04BLK
1/4" TO -6AN	826-06BLK
3/8" TO -8AN	826-08BLK
1/2" TO -10AN	826-10BLK
3/4" TO -12AN	826-12BLK



METRIC ADAPTERS

THREAD	AN	BLACK
M10		
M10X1.0MM	-3	729-03-01BLK
M10X1.5MM	-4	729-04BLK
M10X1.0MM	-4	729-04-01BLK
M10X1.25MM	-4	729-04-02BLK
M10X1.5MM	-6	729-06BLK
M10X1.0MM	-6	729-06-01BLK
M10X1.25MM	-6	729-06-02BLK
M10X1.25MM	-8	729-08BLK
M10X1.5MM	-8	729-08-01BLK
M10X1MM	-8	729-08-02BLK
M12		
M12X1.25	4	730-04BLK
M12X1.25	6	730-06-01BLK
M12X1.25	6	730-06BLK
M12X1.25	8	730-08BLK
M12X1.5MM	-4	731-04BLK
M12X1.5MM	-6	731-06BLK
M12X1.5MM	-8	731-08BLK
M12X1.5MM	-10	731-10BLK
M14		
M14X1.5MM	-4	732-04BLK
M14X1.5MM	-6	732-06BLK
M14X1.5MM	-8	732-08BLK
M14X1.5MM	-10	732-10BLK
M14X1.5MM	-12	732-12BLK
M16		
M16X1.5MM	-6	733-06BLK
M16X1.5MM	-8	733-08BLK
M16X1.5MM	-10	733-10BLK
M16X1.5MM	-12	733-12BLK
M18		
M18X1.5MM	-6	734-06BLK
M18X1.5MM	-8	734-08BLK
M18X1.5MM	-10	734-10BLK
M18X1.5MM	-12	734-12BLK
M20		
M20X1.5MM	-6	735-06BLK
M20X1.5MM	-8	735-08BLK
M20X1.5MM	-10	735-10BLK
M20X1.5MM	-12	735-12BLK
M22		
M22X1.5MM	-6	736-06BLK
M22X1.5MM	-8	736-08BLK
M22X1.5MM	-10	736-10BLK
M22X1.5MM	-12	736-12BLK
M24		
M24X1.5MM	-8	737-08BLK
M24X1.5MM	-10	737-10BLK
M24X1.5MM	-12	737-12BLK



METRIC PLUG (WITH WASHER)

SIZE	BLACK
M10x1.0	739-10BLK
M10x1.25	739-10-1BLK
M12x1.25	739-12BLK
M12X1.5	739-12-1BLK
M14x1.5	739-14BLK
M16X1.5	739-16BLK
M18x1.5	739-18BLK



METRIC BARB ADAPTERS

THREAD	BARB	PART NO.
M10 x 1	3/8	729-01
M12 X 1.5	3/8	731-01
M12 x 1.5	1/2	731-02
M14 X 1.5	3/8	732-02
M14 x 1.5	1/2	732-03
M18 X 1.5	3/8	734-01
M18 x 1.5	1/2	734-02



METRIC S/S WASHER SEAL ADAPTERS

AN	THREAD	PART NO.
-3	M8 x 1.0	349-03
-3	M10 X 1.0	351-03
-4	M10 x 1.0	351-04
-3	M10 X 1.25	352-03
-4	M10 x 1.25	352-04
-3	M10 X 1.5	356-03
-4	M10 x 1.5	356-04
-3	M12 X 1.0	357-03
-4	M12 x 1.0	357-04
-3	M12 X 1.25	358-03
-4	M12 x 1.25	358-04
-3	M12 X 1.5	359-03
-4	M12 x 1.5	359-04



METRIC PLUG WITH 1/8TH (WITH WASHER)

SIZE	PART NO.	MATERIAL
M12x1.5	738-12-02S5	STAINLESS STEEL
M12X1.5	738-12-02BLK	ALLOY
M14x1.5	738-14-02BLK	ALLOY
M16X1.5	738-16-02BLK	ALLOY
M18x1.5	738-18-02BLK	ALLOY



POWER STEER BUMP TUBE ADAPTERS

SIZE	BLACK
M14x1.5 TO -6	740-06BLK
M16X1.5 TO -6	741-06BLK
M18x1.5 TO -6	742-06BLK



ALLOY CRUSH WASHER

SIZE	QTY	PART NO.
5/16 - 8mm	5PK	ALLOY-08
3/8 - 10mm	5PK	ALLOY-10
7/16 - 11mm	5PK	ALLOY-11
1/2 - 12mm	5PK	ALLOY-12
9/16 - 14mm	5PK	ALLOY-14
5/8 - 16mm	5PK	ALLOY-16
18mm	5PK	ALLOY-18
7/8 - 22mm	5PK	ALLOY-22



ORB PORT PLUG

AN	BLACK
-3	814-03BLK
-4	814-04BLK
-6	814-06BLK
-8	814-08BLK
-10	814-10BLK
-12	814-12BLK
-16	814-16BLK



ORB PORT TO 1/8TH NPT

ORB	BLACK
-6	813-06-02BLK
-8	813-08-02BLK
-10	813-10-02BLK
-12	813-12-02BLK



AN FLARE PLUGS

AN	BLACK
-3	806-03BLK
-4	806-04BLK
-6	806-06BLK
-8	806-08BLK
-10	806-10BLK
-12	806-12BLK
-16	806-16BLK



AN FLARE CAPS

AN	BLACK
-3	820-03BLK
-4	820-04BLK
-6	820-06BLK
-8	820-08BLK
-10	820-10BLK
-12	820-12BLK
-16	820-16BLK



PLASTIC DUST COVERS

CAP	AN	PLUG
CAP-03	-3	PLUG-03
CAP-04	-4	PLUG-04
CAP-06	-6	PLUG-06
CAP-08	-8	PLUG-08
CAP-10	-10	PLUG-10
CAP-12	-12	PLUG-12
CAP-16	-16	PLUG-16



FLARE EXPANDER

FEMALE	MALE AN	BLACK
-3	-4	951-03-04BLK
-4	-6	951-04-06BLK
-6	-8	951-06-08BLK
-8	-10	951-08-10BLK
-10	-12	951-10-12BLK
-12	-16	951-12-16BLK



FLARE REDUCER

FEMALE	MALE AN	BLACK
-4	-3	950-04-03BLK
-6	-3	950-06-03BLK
-6	-4	950-06-04BLK
-8	-6	950-08-06BLK
-10	-06	950-10-06BLK
-10	-08	950-10-08BLK
-12	-08	950-12-08BLK
-12	-10	950-12-10BLK
-16	-12	950-16-12BLK



S/S 1/8TH NPT TO FEMALE M10X1

1/8 NPT to M10 to suit Bosch and other M10 sensors.

DESCRIPTION	PART NO.
1/8 NPT to M10 metric sensor	384-02-10M



METRIC PLUG (WITH WASHER)

THREAD	BLACK
M10x1	739-10BLK
M10x1.25	739-10-1BLK
M12x1.25	739-12BLK
M12x1.5	739-12-1BLK
M14x1.5	739-14BLK
M16x1.5	739-16BLK
M18x1.5	739-18BLK



METRIC PORT TO 1/8TH NPT (WITH WASHER)

SIZE	PART NO.	MATERIAL
M12x1.5	738-12-02SS	S/STEEL
M12x1.5	738-12-02BLK	ALLOY
M14x1.5	738-14-02BLK	ALLOY
M16x1.5	738-16-02BLK	ALLOY
M18x1.5	738-18-02BLK	ALLOY



NPT PIPE REDUCER

NPT	BLACK
1/4" TO 1/8"	912-04-02BLK
3/8" TO 1/8"	912-06-02BLK
3/8" TO 1/4"	912-06-04BLK
1/2" TO 1/8"	912-08-02BLK
1/2" TO 1/4"	912-08-04BLK
1/2" TO 3/8"	912-08-06BLK
1/2" TO 1/2"	912-12-04BLK
3/4" TO 3/8"	912-12-06BLK
3/4" TO 1/2"	912-12-08BLK



NPT PLUGS

NPT	BLACK
1/16"	932-01BLK
1/8"	932-02BLK
1/4"	932-04BLK
3/8"	932-06BLK
1/2"	932-08BLK
3/4"	932-12BLK
1"	932-16BLK



STRAIGHT BULKHEAD

AN	BLACK
-3	832-03BLK
-4	832-04BLK
-6	832-06BLK
-8	832-08BLK
-10	832-10BLK
-12	832-12BLK
-16	832-16BLK
-20	832-20BLK



45° BULKHEAD (1 X NUT)

AN	BLACK
-3	837-03BLK
-4	837-04BLK
-6	837-06BLK
-8	837-08BLK
-10	837-10BLK
-12	837-12BLK
-16	837-16BLK
-20	837-20BLK



90° BULKHEAD (1 X NUT)

AN	BLACK
-3	833-03BLK
-4	833-04BLK
-6	833-06BLK
-8	833-08BLK
-10	833-10BLK
-12	833-12BLK
-16	833-16BLK
-20	833-20BLK



BULKHEAD NUT

AN	BLACK
-3	924-03BLK
-4	924-04BLK
-6	924-06BLK
-8	924-08BLK
-10	924-10BLK
-12	924-12BLK
-16	924-16BLK
-20	924-20BLK



BULKHEAD SIDE TEE

AN	BLACK
-3	834-03BLK
-4	834-04BLK
-6	834-06BLK
-8	834-08BLK
-10	834-10BLK
-12	834-12BLK



BULKHEAD TEE ON THE RUN

AN	BLACK
-3	804-03BLK
-4	804-04BLK
-6	804-06BLK
-8	804-08BLK
-10	804-10BLK
-12	804-12BLK



TEFLON WASHER

AN	PART NO.	QTY
-3	TEFLON-03	5 PK
-4	TEFLON-04	5 PK
-6	TEFLON-06	5 PK
-8	TEFLON-08	5 PK
-10	TEFLON-10	5 PK
-12	TEFLON-12	5 PK
-16	TEFLON-16	5 PK
-20	TEFLON-20	5 PK



STAT-O-SEAL

AN	PART NO.	QTY
-6	STAT-06	5 PK
-8	STAT-08	5 PK
-10	STAT-10	5 PK
-12	STAT-12	5 PK
-16	STAT-16	5 PK
-20	STAT-20	5 PK



S/S STRAIGHT

AN	PART NO.
-3	320-03SS



S/S 45° BULKHEAD

AN	PART NO.
-3	322-03SS



S/S 90° BULKHEAD

AN	PART NO.
-3	323-03SS



S/S TEE BULKHEAD

AN	PART NO.
-3	324-03SS



S/S NUT

AN	PART NO.
-3	924-03SS



MALE FLARE TEE

AN	PART NO.
-3	824-03BLK
-4	824-04BLK
-6	824-06BLK
-8	824-08BLK
-10	824-10BLK
-12	824-12BLK
-16	824-16BLK



TEE WITH FEMALE ON THE SIDE

AN	PART NO.
-3	144-03BLK
-4	144-04BLK
-6	144-06BLK
-8	144-08BLK
-10	144-10BLK
-12	144-12BLK
-16	144-16BLK



TEE WITH FEMALE ON THE RUN

AN	PART NO.
-3	145-03BLK
-4	145-04BLK
-6	145-06BLK
-8	145-08BLK
-10	145-10BLK
-12	145-12BLK
-16	145-16BLK



FEMALE ORB TEE

ORB	PART NO.
-3	938-03BLK
-4	938-04BLK
-6	938-06BLK
-8	938-08BLK
-10	938-10BLK
-12	938-12BLK



BILLET Y-BLOCK

1X AN	2X AN	PART NO.
-3	-3	930-03BLK
-4	-4	930-04BLK
-6	-6	930-06BLK
-6	-4	930-06-04BLK
-8	-8	930-08BLK
-8	-6	930-08-06BLK
-10	-10	930-10BLK
-10	-8	930-10-08BLK
-12	-12	930-12BLK
-12	-8	930-12-08BLK
-12	-10	930-12-10BLK
-16	-16	930-16BLK



MALE FLARE TEE

FEMALE	2X AN	PART NO.
-8	-6	931-08-06BLK
-10	-8	931-10-08BLK
-12	-10	931-12-10BLK



BILLET Y BLOCK TWIN

SIZE	BLACK	SILVER
-10 ORB TO 2 X -8 FEMALE	939-08-10BLK	939-08-10S



ALLOY TEE

AN	PART NO.
1/8	433-02BLK
1/4	433-04BLK
3/8	433-06BLK
1/2	433-08BLK



TEE WITH NPT ON SIDE

AN	NPT	PART NO.
-3	1/8	825-03BLK
-4	1/8	825-04BLK
-6	1/4	825-06BLK
-8	3/8	825-08BLK
-10	1/2	825-10BLK
-12	3/4	825-12BLK



TEE WITH NPT ON RUN

AN	NPT	PART NO.
-3	1/8	826-03BLK
-4	1/8	826-04BLK
-6	1/4	826-06BLK
-8	3/8	826-08BLK
-10	1/2	826-10BLK
-12	3/4	826-12BLK



S/S MALE TO FEMALE WITH 1/8TH PORT

Converts 1/8 NPT sensor port to M10 to suit Bosch & others M10 sensors.

SIZE	NPT	PART NO.
-3	1/8" NPT	140-03SS



MALE TO MALE WITH 1/8" PORT

AN	PART NO.
-4	141-04BLK
-6	141-06BLK
-8	141-08BLK
-10	141-10BLK
-12	141-12BLK
-16	141-16BLK



FEMALE TO MALE WITH 1/8" PORT

AN	PART NO.
-3	140-03BLK
-4	140-04BLK
-6	140-06BLK
-8	140-08BLK
-10	140-10BLK
-12	140-12BLK
-16	140-16BLK



NPT PIPE REDUCER

NPT	PART NO.
1/4" TO 1/8"	912-04-02BLK
3/8" TO 1/8"	912-06-02BLK
3/8" TO 1/4"	912-06-04BLK
1/2" TO 1/8"	912-08-02BLK
1/2" TO 1/4"	912-08-04BLK
1/2" TO 3/8"	912-08-06BLK
1/2" TO 1/2"	912-12-04BLK
3/4" TO 3/8"	912-12-06BLK
3/4" TO 1/2"	912-12-08BLK



METRIC PLUG WITH 1/8TH (WITH WASHER)

SIZE	PART NO.	MATERIAL
M12x15	738-12-02SS	STAINLESS STEEL
M12x15	738-12-02BLK	ALLOY
M14x15	738-14-02BLK	ALLOY
M16x15	738-16-02BLK	ALLOY
M18x15	738-18-02BLK	ALLOY



S/S M12 X 1.5 TO 1/8TH NPT PORT

SIZE	PORT	PART NO.
M12 x 1.5	1/8" NPT	738-12-02SS



S/S 1/8TH NPT TO FEMALE M10 X1

1/8 NPT to M10 to suit Bosch and other M10 sensors.

DESCRIPTION	PART NO.
1/8 NPT to M10 metric sensor	384-02-10M



ORB TO M10 X1 SENSOR PORT

ORB	PORT SIZE	PART NO.
-6	M10 x1	813-06-M10BLK
-8	M10 X1	813-08-M10BLK



ORB PORT TO 1/8TH NPT

ORB	PART NO.
-6	813-06-02BLK
-8	813-08-02BLK
-10	813-10-02BLK
-12	813-12-02BLK



1/8TH S/S NPT WELD ON

Exhaust and EGT temp sensor

DESCRIPTION	PART NO.
1/8th NPT	996-02SS



METRIC ALLOY WELD ON

Metric sensor adapter

DESCRIPTION	PART NO.
M12 x 1.5	995-M12D
M14 x 1.5	995-M14D



NPT TO AN

AN	FEMALE NPT	BLACK
-3	1/8	370-03BLK
-4	1/8	370-04BLK



90° NPT TO AN

AN	FEMALE NPT	PART NO.
-3	1/8	373-03BLK
-4	1/8	373-04BLK



LS LOW PROFILE PRESSURE ADAPTER

Low profile LS 1/8th pressure sensor adapter. Great option for guys with superchargers, aftermarket manifolds or ECU not using the stock M16 sensor adapter.

THREAD	PART NO.
M16 x 1.5	LS-01



LS OIL PRESSURE SENSOR ADAPTER

Allows the use of the stock LS rear M16 oil pressure sensor & adapts a 1/8 NPT which can be used for an additional sensor or turbo feed.


THREADS	BANJO OUTLET	PART NO.
M16 x 1.5	1/8 NPT	LS-02



FLEX SENSOR ADAPTER -10 ORB

Our billet two piece fuel flex sensor adapter comes with -10 ORB inlet and outlet so there is no restriction in fuel flow while measuring the ethanol content in your fuels. Suit GM style flex sensor FLEX-023.

DESCRIPTION	PART NO.
-10 ORB inlet and outlet	FLEX-10



GM E85 FUEL FLEX SENSOR

Genuine GM 13507129 continental E85 Fuel flex sensor allows the ECU to measure the temperature and ethanol content of your fuel.

DESCRIPTION	PART NO.
3/8 barb outlets - comes with plug and pins	FLEX-023



Adam Nuner
Mazda RX3, 13B turbo

Chris Orchard
SVL Commodore, Blown SBC



Brendon Borg
Nissan S15, 2JZ-GTE

David Rowinski
Aerotop Supra, 3.4L 2JZ



Steve & Lacey Sines
HZ Sedan - Blown SBC



Lacey Sines
HJ UTE LS2





ALLOY AN BANJOS

SIZE	PART NO.
10mm - 3/8 TO -6AN	719-06BLK
12mm - 7/16 TO -4AN	721-04BLK
12mm - 7/16 TO -6AN	721-06BLK
14mm - 9/16 TO -4AN	720-04BLK
14mm - 9/16 TO -6AN	720-06BLK
14mm - 9/16 TO -8AN	720-08BLK
16mm - 5/8 TO -6AN	716-06BLK
18mm TO -6AN	717-06BLK
18mm TO -8AN	717-08BLK



BANJO BOLTS

THREAD	BLACK	STAINLESS STEEL
M12 X 1.25	723-06BLK	316-04
M12 X 1.5	724-06BLK	317-04
M14 X 1.5	725-06BLK	725-06SS
M16 X 1.5	714-06BLK	714-06SS
M18 X 1.5	715-06BLK	715-06SS
1/2 X 20 UNF	727-06BLK	300-05
9/16x18	728-06BLK	
9/16" X 24	722-06BLK	
5/8"-20	726-06BLK	



ORB BANJO TO AN

ORB	AN	PART NO.
-8 ORB	-6	919-06-08BLK
-10 ORB	-6	919-06-10BLK
-8 ORB	-8	919-08BLK
-10 ORB	-8	919-08-10BLK
-10 ORB	-10	919-10BLK



FUEL PRESSURE GAUGE (NON LIQUID FILLED)

PSI	PART NO.
15 PSI	FP-15
100 PSI	FP-100



FUEL PRESSURE GAUGE (LIQUID FILLED)

PSI	PART NO.
15 PSI	FP-15L
100 PSI	FP-100L



GAUGE LINE KIT

LENGTH	SILVER	BLACK
1M	GLK-1M	GLK-01MBLK
2M	GLK-2M	GLK-2MBLK



NPT TO AN

AN	FEMALE NPT	PART NO.
-3	1/8	370-03BLK
-4	1/8	370-04BLK



90° NPT TO AN

AN	FEMALE NPT	PART NO.
-3	1/8	373-03BLK
-4	1/8	373-04BLK



TEMPERATURE PROB ADAPTERS

MALE NPT	FEMALE	PART NO.
3/8	5/8"-18	660-06BLK
1/2	5/8"-18	660-08BLK



FEMALE TO MALE WITH 1/8" PORT

AN	PART NO.
-3	140-03BLK
-4	140-04BLK
-6	140-06BLK
-8	140-08BLK
-10	140-10BLK
-12	140-12BLK
-16	140-16BLK



NYLON BRAIDED FUEL RAIL

AN	SUITS	HOSE	PART NO.
-8	4150 MODELS	TEFLON	263-08BLK
-8	HOLLEY HP SERIES	TEFLON	264-08BLK
-8	DOMINATOR MODELS	TEFLON	265-08BLK



S/S BRAIDED FUEL RAIL

AN	SUITS	HOSE	PART NO.
-8	4150 MODELS	TEFLON	260-08BLK
-8	HOLLEY HP SERIES	TEFLON	261-08BLK
-8	DOMINATOR MODELS	TEFLON	262-08BLK



HOLLEY INLET ADAPTER

THREAD	PART NO.	LENGTH
7/8"-20	700-08BLK	SHORT = 35mm
7/8"-20	700-08LBLK	LONG = 70mm



HOLLEY/DEMON INLET ADAPTER

THREAD	PART NO.	LENGTH
9/16"-24	701-08BLK	SHORT = 35mm
9/16"-24	701-08LBLK	LONG = 70mm



HOLLEY HP INLET ADAPTER

THREAD	PART NO.	LENGTH
3/4"-16	702-08BLK	SHORT = 35mm
3/4"-16	702-08LBLK	LONG = 70mm



EFI BILLET FUEL RAILS

DESCRIPTION	INJECTOR LENGTH	PART NO.
BILLET FUEL RAILS LS1	FULL	RAILS-LS1BLK
BILLET FUEL RAILS LS2/3	SHORT	RAILS-LS2BLK
BILLET FUEL RAILS LS7	SHORT & 3/4	RAILS-LS1BLK
BILLET FUEL RAILS SUIT SERIES 4,5 ROTARY	FULL	RAILS-RX45BLK
BILLET FUEL RAILS SUIT SERIES 6,7,8 ROTARY	FULL	RAILS-RX678BLK
BILLET FUEL RAILS 2JZ-GTE	FULL	RAILS-2JZBLK
BILLET FUEL RAILS RB25- NON NEO R33	3/4 & FULL	RAILS-RBBLK
BILLET FUEL RAILS BA-BF	FULL	RAILS-BABFBLK
BILLET FUEL RAILS FG	3/4	RAILS-FGBLK

#Note injector lengths: FULL - 60.65mm 3/4 - 48.65mm SHORT - 33.60mm



MALE EFI LINE ADAPTERS

BARB	AN	SILVER	BLACK
5/16	-6	807-05S	807-05BLK
3/8	-6	807-06S	807-06BLK
3/8	-8	807-08S	807-08BLK



90 DEGREE MALE EFI LINE ADAPTERS

FEMALE	AN	PART NO.
5/16	-6	803-05BLK
3/8	-6	803-06BLK
3/8	-8	803-08BLK



INLINE FUEL & OIL FILTER

INCLUDES 30, 80 AND 150 MICRON ELEMENTS

AN	PART NO.
-4	66-1004BLK
-6	66-1006BLK
-8	66-1008BLK
-10	66-1010BLK



FEMALE EFI LINE ADAPTERS

FEMALE	AN	PART NO.
5/16	-6	808-05BLK
3/8	-6	808-06BLK
3/8	-8	808-08BLK



90 DEGREE FEMALE EFI LINE ADAPTERS

FEMALE	AN	PART NO.
5/16	-6	809-05BLK
3/8	-6	809-06BLK
3/8	-8	809-08BLK



BILLET SHUT OFF VALVE

AN	PART NO.
-4	VALVE-04
-6	VALVE-06
-8	VALVE-08
-10	VALVE-10
-12	VALVE-12

NOT RECOMMENDED METHANOL & ETHANOL FUELS



GM E85 FUEL FLEX SENSOR

Genuine GM 13507129 continental E85 Fuel flex sensor allows the ECU to measure the temperature and ethanol content of your fuel.

DESCRIPTION	PART NO.
3/8 barb outlets - comes with plug and pins with 1/8 port	FLEX-023



FLEX SENSOR ADAPTER -10 ORB

Our billet two piece fuel flex sensor adapter comes with -10 ORB inlet and outlet so there is no restriction in fuel flow while measuring the ethanol content in your fuels. Suit GM style flex sensor FLEX-023.

DESCRIPTION	PART NO.
-10 ORB Port in and out	FLEX-10



METRIC INVERTED FLARE TO AN FUEL LINE ADAPTER

Converts standard inverted flare fuel lines to AN fittings.

AN	THREAD	PART NO.
-6	M12X1.5	811-M12BLK
-6	M14X1.5	811-M14BLK



BARB TO AN ADAPTER

These o-ring compression adapters convert various size pump barbs and heater hoses to AN.

SUIT BARB	AN	PART NO.
5/16	-6	810-06-05BLK
3/8	-6	810-06-06BLK
3/8	-8	810-08-06BLK
5/8	-8	810-08-10BLK
5/8	-10	810-10-10BLK



EFI FUEL PUMP CHECK VALVE

These check valves screw directly into the new and old style BOSCH pumps and convert them to either -6 or -8AN and allow you to keep line pressure.

THREAD	AN	PART NO.
M10 x 1	-6	614-06BLK
M10 X 1	-8	614-08BLK
M12 x 1.5	-6	615-06BLK
M12 X 1.5	-8	615-08BLK



INLINE CHECK VALVE

AN	PART NO.
-6	612-06BLK
-8	612-08BLK
-10	612-10BLK
-12	612-12BLK



**3000 SERIES PRO FILTER
(88MM X 31MM)**

ORB	MICRON	PART NO.	FLOW @3BAR
-8	10	66-3008-10BLK	800LPH
-8	60	66-3008-60BLK	950LPH
-8	100	66-3008-100BLK	1100LPH



**3000 SERIES PRO FILTER
(138MM X 50MM)**

ORB	MICRON	PART NO.	FLOW @3BAR
-10	10	66-3010-10BLK	1500LPH
-10	60	66-3010-60BLK	1950LPH
-10	100	66-3010-100BLK	2400LPH



**3000 SERIES PRO FILTER
(185MM X 61MM)**

ORB	MICRON	PART NO.	FLOW @3BAR
-12	10	66-3012-10BLK	2200LPH
-12	60	66-3012-60BLK	1950LPH
-12	100	66-3012-100BLK	3200LPH



BILLET FILTER BRACKET -8

SUIT	PART NO.
-8 PRO FILTER	66-3B08BLK



BILLET FILTER BRACKET -10

SUIT	PART NO.
-10 PRO FILTER	66-3B10BLK



BILLET FILTER BRACKET -12

SUIT	PART NO.
-12 PRO FILTER	66-3B12BLK



ELEMENT WITH ANODISED BILLET HOUSING AND RECESSED MAGNET (NO GLUE) - E85 COMPATIBLE

SUIT	MICRON	COLOUR	PART NO.	SUIT	MICRON	COLOUR	PART NO.	SUIT	MICRON	COLOUR	PART NO.
-8 PRO FILTER	10 MICRON	BLUE	E3008-10	-10 PRO FILTER	10 MICRON	BLUE	E3010-10	-12 PRO FILTER	10 MICRON	BLUE	E3012-10
-8 PRO FILTER	60 MICRON	SILVER	E3008-60	-10 PRO FILTER	60 MICRON	SILVER	E3008-60	-12 PRO FILTER	60 MICRON	SILVER	E3012-60
-8 PRO FILTER	100 MICRON	BLACK	E3008-100	-10 PRO FILTER	100 MICRON	BLACK	E3010-000	-12 PRO FILTER	100 MICRON	BLACK	E3012-100



WALBRO 255 EXTERNAL

TI AUTOMOTIVE GSL392

PART NO:	WALBRO-392
LPH:	255 @ 3 BAR
FUEL:	PUMP
CURRENT DRAW:	8A @ 3 BAR
INLET:	M10 x1
OUTLET:	M10 X1
DIA:	39mm
BRACKET:	PB-03BLK
APPLICATION:	EXTERNAL
CHECK VALVE:	INTERNAL
FITTING KIT:	INCLUDED



WALBRO 350 EXTERNAL

TI AUTOMOTIVE GSL396

PART NO:	WALBRO-396
LPH:	350 @ 3 BAR
FUEL:	PUMP
CURRENT DRAW:	8A @ 3 BAR
INLET:	M10 x1
OUTLET:	M10 X1
DIA:	39mm
BRACKET:	PB-03BLK
APPLICATION:	EXTERNAL
CHECK VALVE:	INTERNAL
FITTING KIT:	INCLUDED



PIERBURG 360 EXTERNAL

PIERBURG (TI) 7.00228.510

PART NO:	PIERBURG-360
LPH:	360 @ 3 BAR
FUEL:	PUMP/E85
CURRENT DRAW:	12.5A @ 3 BAR
INLET:	-10 AN / 15mm BARB
OUTLET:	-6 AN / M10X1
DIA:	43mm
BRACKET:	PB-03BLK
APPLICATION:	EXTERNAL
CHECK VALVE:	INTERNAL
FITTING KIT:	INCLUDED



CATER BLACK - LOW PRESSURE

CARTER P4601HP

PART NO:	CARTER-4601HP
LPH:	378L (100GPH) 14-16PSI
FUEL:	PUMP/E85
CURRENT DRAW:	12V
INLET:	3/8 NPT
OUTLET:	3/8 NPT
DIA:	ROTARY VANE
BRACKET:	INCLUDED
APPLICATION:	EXTERNAL
CHECK VALVE:	N/A
FITTING KIT:	INCLUDED



BOSCH 044

BOSCH 0 580 464 200

PART NO:	PB-01BLK (ONLY)
LPH:	330 @ 3 BAR
FUEL:	PUMP/E85/DIESEL
CURRENT DRAW:	10.5A @ 3 BAR
INLET:	M14 x1.5
OUTLET:	M10 X1
DIA:	52mm (60 WITH SLEEVE)
BRACKET:	PB-01BLK
APPLICATION:	EXTERNAL
CHECK VALVE:	EXTERNAL
FITTING KIT:	INCLUDED



PUMP FITTING PART NUMBER GUIDE

DESCRIPTION	WALBRO-392	WALBRO-396	PIERBURG	BOSCH-044	BOSCH OLD STYLE	CARTER-4601HP
-6 AN INLET	729-06-01BLK	729-06-01BLK	N/A	732-06BLK	734-06BLK	816-06-06BLK
-8 AN INLET	729-08-02BLK	729-08-02BLK	810-08BLK	732-08BLK	734-08BLK	816-08BLK
-6 AN OUTLET	729-06-01BLK	729-06-01BLK	SUPPLIED WITH PUMP	729-06-01BLK	731-06BLK	816-06-06BLK
-8 AN OUTLET	729-08-02BLK	729-08-02BLK	729-08-02BLK	729-08-02BLK	731-08BLK	816-08BLK
OUTLET CHECK VALVE -6AN	INTERNAL	INTERNAL	INTERNAL	614-06BLK	615-06BLK	EXTERNAL INLINE
OUTLET CHECK VALVE -8AN	INTERNAL	INTERNAL	INTERNAL	614-08BLK	615-08BLK	EXTERNAL INLINE



FUEL PUMP BRACKET PART NUMBER GUIDE

PUMP	WALBRO-392	WALBRO-396	PIERBURG	BOSCH-044	BOSCH OLD STYLE	CARTER-4601HP
SINGLE	PB-03BLK	PB-03BLK	PB-03BLK	PB-01BLK	PB-01BLK	COMES WITH BRACKET
TWIN	PB-04BLK	PB-04BLK	PB-04BLK	PB-02BLK	PB-02BLK	COMES WITH BRACKET

BILLET Y BLOCK AND TWIN PUMP 60MM BRACKET

Y BLOCK

60MM BILLET BRACKET

939-08-10BLK

PB-02BLK

#Note: Pumps not included.



WALBRO 255 INTERNAL

TI AUTOMOTIVE GSS342

PART NO:	WALBRO-255
LPH:	255 @ 3 BAR
FUEL:	PUMP
CURRENT DRAW:	8A @ 3 BAR
INLET:	PRE FILTER
OUTLET:	5/16 BARB
DIA:	39mm
BRACKET:	N/A
APPLICATION:	INTERNAL
CHECK VALVE:	INTERNAL
FITTING KIT:	INCLUDED



WALBRO 460 INTERNAL

TI AUTOMOTIVE F90000274

PART NO:	WALBRO-460
LPH:	415 @ 3 BAR
FUEL:	PUMP/E85
CURRENT DRAW:	16A @ 3 BAR
INLET:	PRE FILTER
OUTLET:	3/8 BARB
DIA:	39mm
BRACKET:	N/A
APPLICATION:	INTERNAL
CHECK VALVE:	INTERNAL
FITTING KIT:	INCLUDED



FUEL PUMP HANGER PAGE 30



WALBRO 540 INTERNAL

TI AUTOMOTIVE F90000295

PART NO:	WALBRO-540
LPH:	540 @ 3 BAR
FUEL:	PUMP/E85
CURRENT DRAW:	16.5A @ 3 BAR
INLET:	PRE FILTER
OUTLET:	3/8 BARB
DIA:	39mm
BRACKET:	N/A
APPLICATION:	INTERNAL
CHECK VALVE:	EXTERNAL
FITTING KIT:	INCLUDED



WALBRO 525 INTERNAL

TI AUTOMOTIVE F90000285

PART NO:	WALBRO-525
LPH:	465 @ 3 BAR
FUEL:	PUMP/E85
CURRENT DRAW:	17A @ 3 BAR
INLET:	PRE FILTER
OUTLET:	3/8 BARB
DIA:	39mm
BRACKET:	N/A
APPLICATION:	INTERNAL
CHECK VALVE:	INTERNAL
FITTING KIT:	INCLUDED



BARB TO AN ADAPTER

These o-ring compression adapters convert various size pump barbs to AN.

SUIT BARB	AN	PART NO:
5/16	-6	810-06-05BLK
3/8	-6	810-06-06BLK
3/8	-8	810-08-06BLK
5/8	-8	810-08-10BLK
5/8	-10	810-10-10BLK



CRIMP HOSE CLAMP PLIERS

Clamps pliers used for our intank hose clamps and push lock hose clamps. Also suits spring loaded clamps seen in most engine bays

DESCRIPTION

Crimp and reuseable clamp pliers

PART NO.

98-2017



5/16 INTANK HOSE CLAMP

DESCRIPTION

Double ear clamp suit 5/16 intank hose

PART NO.

IC-516



3/8 INTANK HOSE CLAMP

DESCRIPTION

Double ear clamp suit 3/8 intank hose

PART NO.

IC-38



WALBRO 255 REPLACEMENT FILTER (SIZE 90MM X MM)

Suits Walbro 255 pumps - 45° filter body.

SUITS

WALBRO 255

PART NO.

WF-255



WALBRO 460+ REPLACEMENT FILTER (SIZE 85MM X 75MM)

Suits Walbro 460, 525 and 540 pumps - Flat filter body.

SUITS

WALBRO 460, 525, 540 PUMP

PART NO.

WF-460



5/16 CONVOLUTED INTANK HOSE (E85 SAFE)

SUITS

160mm long suit 5/16 barb

PART NO.

IH-101

255mm long suit 5/16 barb

IH-102



5/16 TO 3/8 CONVOLUTED INTANK HOSE (E85 SAFE)

This intake hose allows you to upgrade your pump without worrying about the inlet or outlet size of the pump by converting the 5/16 barb to 3/8.

SUITS

120mm long suit 5/16 to 3/8 barb

250mm long suit 5/16 to 3/8 barb

PART NO.

IH-201

IH-202



3/8 CONVOLUTED INTANK HOSE (E85 SAFE)

SUITS

160mm long suit 3/8 barb

240mm long suit 3/8 barb

PART NO.

IH-301

IH-302



YouTube

3.4L TWIN PUMP
SURGE TANK
& FUEL PUMP
HANGER



BILLET 3.4 LITRE TWIN PUMP SURGE TANK (SUIT 39MM PUMPS)

Our billet twin intank pump surge tank allows you to use either 1 or 2 x 39mm Walbro style pumps. This tank is 3.4l litres in capacity and has been designed with a single -10 ORB outlet to eliminate the need of a Y block, extra fittings which simplifies the plumbing and lowers cost. We have still opted for multi terminals to allow the user to stage the pumps if required.

DESCRIPTION	PART NO.
Suit single or twin 39mm walbro style pumps	ST-230BLK
Can be wired to stage pumps	
1 X -10 orb outlet	
3 X -8 orb ports for returns/overflow	
245mm high x 160mm wide	
Centre return that feeds directly to the pump filter	
Fitting kit with intank hose and clamps included	

BILLET TWIN PUMP HANGER (SUIT 39MM PUMPS)

Our billet twin pump fuel hanger is adjustable to allow for custom tanks. The hanger comes with 1 single -10 ORB outlet for easy plumbing and 2 X -8 ORB block off ports to allow it to be used for either fuel tank or surge tank depending on requirement. Fits single or twin 39mm Walbro style pumps.

DESCRIPTION	PART NO.
Suit single or twin 39mm walbro style pumps	FPH-239
Can be wired to stage pumps	
1 X -10 orb outlet	
3 X -8 orb ports for returns/overflow	
Adjustable pump height to allow for custom tanks	
S/s or alloy weld on ring sold separately	
Centre return that feeds directly to the pump filter	
Fitting kit with intank hose and clamps included	



WELD ON RING TO SUIT FPH-239

DESCRIPTION	PART NO.
ALLOY WELD ON RING	WR-239
STEEL WELD ON RING	WR-239S

76 LITRE BAFFLED FUEL CELL - FLAT BOTTOM

Our 76L fuel cell comes with our billet dual pump hanger that has a single -10 ORB out let for ease of plumbing and eliminates the use of extra fittings. The hanger uses multi terminals for those who want to stage the pumps, this not only eliminates cavitation caused by warming of the fuel but also prolongs pump life. The tank can be plumbed using 1 pump only if needed. The baffles are designed to prevent fuel slosh side and back with centre mounted pumps and return. The return is centre fed directly into the centre pot onto the pump filters to prevent starvation.

There are 2 x -8 ORB ports on the top for either a return or breather. Our 612-08 can be used as a roller over vent with spring removed, this is a great option as the design prevents fuel splash. The billet internal threaded filler uses an o-ring seal and is corner mounted for easy access to suit any orientation.

For trade customers talk to us about your logo on the tank (all our products) which is a great option for show cars to display and promote your business not other brands.

DESCRIPTION	PART NO.
76 Litre capacity	FC-239-76BLK
Internally baffled	
Billet internal thread filler cap with o-ring seal	
Suit single or twin 39mm walbro style pumps	
Hanger has 1 x -10 orb for fuel outlet	
Hanger has 3 x -8 orb ports for returns/overflow	
Tank has 1 x -10 orb side outlet or drain	
Tank has 2 x -8 orb on the top for return or breather	
O-90 ohm fuel sender	
620mm wide 510mm deep 260mm high	
Centre return that feeds directly onto the pump filter	
Fitting kit with intank hose and clamps included	



YouTube



76L BAFFLED
FUEL CELL
WITH TWIN
PUMP HANGER






Gilbert Auraha
RX7 - 13B Turbo

Matt Sims
LS Turbo



Tim Dimovski
FG Ute - Barra

John Bolton
Capri 434 Clever




Mohamed
808 13B Turbo



SDR Motorsport
Mazda Ute





247 PRO INCONEL CARBON FIBRE TURBO BAG

Our Pro turbo bags offer a new innovative series of thermal insulation technology.

With its Inconel inner liner which is best known for its use with Nuclear and the aviation industry due to its strength and resistance to oxidation and thermal fatigue under intense heat which is essential for the jet engine components such as fuel nozzles and after burner rings making this the ultimate choice inner liner for high heat applications. The blanket is then filled with a thick layer of ceramic wool (alumina-silica) with its superior fire and moisture resistance over glass wool, it makes it the right choice for this environment ensuring the heat is kept in where it's needed. The bag is then covered with carbon fibre material which not only looks great but also has its own heat protective barriers.

Our Pro turbo bags will not only help reduce under bonnet temperature but with our innovative layered combination will help maximise your turbochargers efficiency by keeping the exhaust gases hot which will help spool the turbocharger faster resulting in less turbo lag.

Inconel Temperature resistance: -150 to 1500°, Ceramic/silica temps: 1350°, Carbon fibre temps: 1200°

SUITS	PART NO.
GT25-28 EXTERNAL WASTEGATE	TB-T2
GT35-40 EXTERNAL WASTEGATE	TB-T3
GT40-42 EXTERNAL WASTEGATE	TB-T4



CARBON WASTEGATE BEANIE BAG

SUITS	PART NO.
SUIT 38mm WASTEGATE	WB-38
SUIT 44MM WASTEGATE	WB-44
SUIT 50mm WASTEGATE	WB-50



TITANIUM HEAT WRAP

Reduces temperature under bonnet temps and promotes increased flow for improved performance. Withstands 980°C and 1371°C intermittent heat.

DESCRIPTION	PART NO.
50mm WIDE 15 metres LONG	HW-5015




S/S TIE LOCKS BLACK

DESCRIPTION	PART NO.
10 PACK 400mm LONG	HWT-400



SPARK PLUG BOOT SLEEVES

PART NO.	QTY
SPARK-2	2 PACK
SPARK-4	4 PACK




GOLD REFLECTIVE HEAT SHEET (ADHESIVE BACKING)

PART NO.	SIZE
HS-G500	500mm X 500mm

FIBREGLASS HEAT SLEEVE

SUITS	SIZE	PART NO.
-3 & 4 Teflon	10mm	HS-10
-4 Braid, -6 Teflon, -4 Pushlock	12mm	HS-12
-6 Braid, -8 Teflon, -6 Pushlock	15mm	HS-15
-8 Braid, -10 Teflon, -8 Pushlock	20mm	HS-20
-10 Braid, -12 Braid, -12 Teflon, -12 Pushlock	25mm	HS-25
-16 Braid	30mm	HS-30
-20 Braid	40mm	HS-40



GOLD HEAT TAPE (50MM W X 10METRE L)

Our adhesive back gold tape is made from a fibreglass backed aluminium and is a great option for tight areas.

DESCRIPTION	PART NO.
*Gold reflective tape 50mm wide x 10metres long	HT-G5010

*Rated to 450° gold reflective 160° adhesive



200 SERIES S/S & 250 SERIES BLACK NYLON TEFLON HOSE

HOSE SIZE	BLACK S/S	200 SERIES	250 SERIES NYLON	ID (MM)	O.D (MM)	OPP PRESSURE	BURST PRESSURE
-3	200-03-1MBLK	200-03-1M	250-03-1M	3.5	6.3	4000PSI	12000PSI
-4	200-04-1MBLK	200-04-1M	250-04-1M	4.8	76	4000PSI	12000PSI



ALLOY & S/S PTFE HOSE ENDS & ACCESSORIES

AN	STRAIGHT ALLOY	S/S STRAIGHT	ALLOY 45°	45° S/S	ALLOY 90°	90° S/S	OLIVE	1mm RESTRICTOR
-3	201-03DBLK	201-03SS	202-03DBLK	202-03SS	203-03DBLK	203-03SS	OLIVE-200	-
-4	201-04DBLK	201-04SS	202-04DBLK	202-04SS	203-04DBLK	203-04SS	OLIVE-201	399-04
		S/S STRAIGHT BLACK		45° BLACK		S/S 45° BLACK		
-3		201-03DBLK		202-03SSBLK		203-03SSBLK	OLIVE-200	-
-4		201-04DBLK		202-04SSBLK		203-04SSBLK	OLIVE-201	399-04

OIL RESTRICTOR (1MM SUIT -4 HOSE END)

Placed inside the hose end, a restrictor is required to prevent too much oil pressure going to the turbos core. This can result in shortening the life of your seals and prevent oil in your turbo.

DESCRIPTION	PART NO.
1mm Oil restrictor suit -4 PTFE	399-04



S/S TURBO OIL FEED ADAPTERS

AN	THREAD	PART NO.
-3	7/16-24	341-03
-4	7/16-24	341-04
-3	1/8" BSP	381-03
-4	1/8" BSP	381-04

S/S -4AN TURBO FEED EXTENSION

DESCRIPTION	PART NO.
30mm -4AN extension	952-04SS

TURBO DRAIN ADAPTERS

ORB	BOLT CENTRE	PART NO.
-8	38-44mm	463-01
-10	51mm	463-02
-10	52.4mm	463-03

AN EXTENSIONS

AN	ORB	LENGTH	PART NO.
-8	-8	35mm	702-08BLK
-8	-8	70mm	702-08LBLK
-10	-8	70mm	702-08-10LBLK
-10	-10	70mm	702-10LBLK



TURBO FILTER SCREENS

DESCRIPTION	PART NO.
3 INCH ID TURBO SCREEN	TF-300
4 INCH ID TURBO SCREEN	TF-400



QUICK RELEASE TURBO CLAMPS

DESCRIPTION	PART NO.
2 INCH TURBO CLAMP	QTC-200
2.5 INCH TURBO CLAMP	QTC-250
3 INCH TURBO CLAMP	QTC-300
3.5 INCH TURBO CLAMP	QTC-350
4 INCH TURBO CLAMP	QTC-400



STRAIGHT S/S VACUUM BARB (5MM)

Great for plumbing up boost and vacuum. Available in -3 and -4 to use with 5mm silicone vacuum hose.

AN SIZE	PART NO.
-4	271-04
-3	271-03



45° S/S VACUUM BARBS (5MM)

AN SIZE	PART NO.
-3	272-03
-4	272-04



90° VACUUM BARBS (5MM)

AN SIZE	PART NO.
-3	273-03
-4	273-04

247 LASER ETCH PROGRAM

247 now offer a laser etch program, where we burn YOUR logo into our products.

If you're a workshop or reseller, this is a great way to advertise your business on those elite level cars you're building.

Workshops build these elite level cars and plaster them with other people's brands all over them, so now with our program, whether they are at a show or just popping their bonnet/boot to show someone they are advertising YOUR business not someone else's.

If you are a reseller or an online business on selling products, we can laser etch your logo into our products with no minimum purchase quantity. Simply buy as you need and resell while advertising your brand.

Talk to us about our trade, wholesale, dealer or bulk order pricing.

**START ADVERTISING
YOUR BUSINESS ON YOUR
NEXT BUILD OR SALE.**



YouTube
247 LASER ETCH
PROGRAM





ALUMINIUM DONUTS

OD	WALL THICKNESS	PART NO.
2" (51mm)	2mm	AD-200
2.5" (63mm)	2mm	AD-250
3" (76mm)	2mm	AD-300
3.5" (89mm)	2mm	AD-350
4" (102mm)	2mm	AD-400
5" (127mm)	2mm	AD-500

*NOTE - ALL SIZES HAVE A 40mm DIA CENTRE HOLE



S/S QUICK RELEASE V-BANDS

Our V-Bands come with a male and female ferrule for quick install and a positive seal. Supplied with a standard nut for install and one lock nut for final fitment that won't melt like nylon nuts.

THREAD	PART NO.
2"	VBQR-200
2.5"	VBQR-250
3"	VBQR-300
3.5"	VBQR-350
4"	VBQR-400



CURVED S/S O2 WELD ON

THREAD	PART NO.
M18 x 1.5	991-03SS




CURVED S/S O2 WELD ON BUNG

LENGTH	THREAD	PART NO.
8mm	M18 x 1.5	991-01SS
25MM	M18 X 1.5	991-02SS



S/S SCREW IN O2 PLUG WITH WASHER

THREAD	PART NO.
M18 x 1.5	992-02SS



ALLOY MOUNTING BOSS

Our alloy mounting boss's are a great options for mounting accessories from radiators, tanks, piping or brackets. They come with a metric thread.

THREAD	PART NO.
M6 x 1	994-M6D
M8 X 1.25	994-M8D



S/S SEGT WELD ON BUNG & CAP (K-STYLE)

DESCRIPTION	PART NO.
7/16" thread weld on bung with cap	993-04SS



BILLET RADIATOR NECKS

SIZE	PART NO.
32mm	RAD-32
42mm	RAD-42



S/S 1/16 NPT TO -4AN

Recessed hex to fit radiator necks and wastegates.

AN	THREAD	PART NO.
-4	1/16" NPT	380-01SS



WELD-ON MALE AN

AN	ALUMINIUM	STEEL	S/S
-3	999-03D	999-03S	999-03SS
-4	999-04D	999-04S	999-04SS
-6	999-06D	999-06S	999-06SS
-8	999-08D	999-08S	999-08SS
-10	999-10D	999-10S	999-10SS
-12	999-12D	999-12S	999-12SS
-16	999-16D	999-16S	999-16SS
-20	999-20D	999-20S	999-20SS



LOW PROFILE BILLET FILLER CAP

ID	SILVER	BLACK
38	461-24	461-24BLK
51	461-32	461-32BLK
63	461-40	461-40BLK



BILLET WELD-ON FILLER CAP

SIZE (ID)	SILVER	BLACK
25mm	460-20	460-20BLK
35MM	460-24	460-24BLK
47mm	460-32	460-32BLK



WELD-ON BARB

SIZE	ALUMINIUM
5/16"	997-05
3/8"	997-06
1/2"	997-08
5/8"	997-10



WELD-ON FEMALE NPT

SIZE	ALLOY	S/STEEL
1/8"	996-02D	996-02SS
1/4"	996-04D	996-04SS
3/8"	999-06D	999-06SS



METRIC ALLOY WELD-ON

Metric sensor adapter

DESCRIPTION	PART NO.
M12 x 1.5	995-M12D
M14 x 1.5	995-M14D



WELD-ON ORB

ORB	ALUMINIUM
-4	998-04D
-6	998-06D
-8	998-08D
-10	998-10D
-12	998-12D
-16	998-16D
-20	998-20D



S/S CINTERED BREATHER

SIZE	PART NO.
1/8"	470-02



STEEL WELD-ON DIFF FILLER

SIZE	PART NO.
1-1/2"	480-01



BILLET DRAIN -10 ORB WITH 1/8TH

ORB	COLOUR	PART NO.
-10	SILVER	BD-10
-10	BLACK	BD-10BLK



45° S/S NPT

AN	PART NO.
-3	382-03



90° S/S NPT

AN	PART NO.
-3	383-03



45° S/S FEMALE TO MALE

AN	PART NO.
-3	142-03SS



90° S/S FEMALE TO MALE

AN	PART NO.
-3	143-03SS



STRAIGHT S/S BULKHEAD

AN	PART NO.
-3	320-03



45° S/S BULKHEAD

AN	PART NO.
-3	322-03



90° S/S BULKHEAD

AN	PART NO.
-3	323-03



TEE S/S BULKHEAD

AN	PART NO.
-3	324-03



S/S BULKHEAD NUT

AN	PART NO.
-3	924-03SS



S/S MALE TEE

AN	PART NO.
-3	326-03



S/S TEE INVERTED FLARE

THREAD	PART NO.
3/8-24"	327-03



S/S TEE AN/HOSE

AN/HOSE	PART NO.
-3	328-03



S/S UNION WITH 1/8"

AN	PART NO.
-3	329-03



S/S MALE TO FEMALE WITH 1/8"

AN	PART NO.
-3	140-03SS



S/S FEMALE UNION

AN	PART NO.
-3	131-03SS



S/S -4AN TURBO FEED EXTENSION

DESCRIPTION	PART NO.
30mm -4an extension	952-04SS



S/S STRAIGHT BANJO TO AN

AN	SIZE	PART NO.	BLACK
-3	3/8"-10mm	310-03 (SHORT)	310-03BLK
-3	3/8"-10MM	310-03L (LONG)	310-03LBLK
-4	3/8"-10mm	310-04	
-3	7/16"-12MM	311-03	
-4	7/16"-12mm	311-04	
-4	9/16"-14MM	335-04	
-3	1/2"-13mm	311-05	311-05BLK

S/S 20° BANJO TO AN

AN	SIZE	PART NO.
-3	3/8" - 10mm	312-03
-3	7/16" - 12mm	318-03



S/S 45° BANJO TO AN

AN	SIZE	PART NO.
-3	3/8" - 10mm	332-03
-3	7/16" - 12mm	319-03

S/S 90° BANJO TO AN

AN	SIZE	PART NO.
-3	3/8" - 10mm	313-03
-3	7/16" - 12mm	314-03

S/S STRAIGHT BANJO TO HOSE

AN	SIZE	PART NO.
-3	3/8" - 10mm	333-03
-3	7/16" - 12mm	334-03

S/S 20° BANJO TO HOSE

AN	SIZE	PART NO.
-3	3/8" - 10mm	304-03
-3	7/16" - 12mm	305-03



S/S 45° BANJO TO HOSE

AN	SIZE	PART NO.
-3	3/8" - 10mm	306-03
-3	7/16" - 12mm	307-03

S/S 90° BANJO TO HOSE

AN	SIZE	PART NO.
-3	3/8" - 10mm	308-03
-3	7/16" - 12mm	309-03

BRAKE HOSE CLIP (2PK)

DESCRIPTION	PART NO.
Bolt on mounting bracket for brakelines	230-01S

BRAKE HOSE MOUNTING BRACKET (2PK)

DESCRIPTION	PART NO.
Brakeline retaining clip	230-02S



METRIC S/S BANJO BOLTS

THREAD	LENGTH	PART NO.	PART NO.
M10 x 1.0	25mm	301-03	301-03BLK
M10 X 1.25	25mm	302-03	
M12 x 1.0	31mm	315-04	
M12 X 1.25	31mm	316-04	
M12 x 1.5	31mm	317-04	
M14 X 1.5	31mm	317-06	

IMPERIAL S/S BANJO BOLTS

THREAD	LENGTH	PART NO.	PART NO.
3/8/24'	25mm	300-03	300-03BLK
12/20"	25mm	300-05	300-05BLK
7/16-20"	25mm	300-04	
7/16-24"	25mm	303-03	
M12 x 1.5	31mm	317-04	
M14 X 1.5	31mm	317-06	



3/16" BRAKE HARDLINE

METAL	LENGTH	PART NO.
ZINC COATED	Per metre	HL-316S
MILD STEEL	7M	HL-316
S/S	7M	HL-316SS



S/S TUBE NUTS

THREAD	PART NO.
3/8-24"	TN-3824
7/16-20"	TN-71620
7/16-24"	TN-71624
1/2-20"	TN-1220
9/16-18"	TN-91618
9/16-20"	TN-91620
M10 x 1.0	TN-M1010
M10 X 1.25	TN-M10125
M12 X 1	TN-M1210

#SOLD IN PAIRS



S/S HARDLINE TUBE NUT

SUIT	PART NO.
-3 AN	390-03



S/S INVERTED FLARE UNION

THREAD	PART NO.
3-8-24"	TN-U3824
M10 X 1.0	TN-U1010



FEMALE INVERTED FLARE TO HOSE

THREAD	PART NO.
3/8-24"	230-03SS
M10 X 1.0	231-03SS



FEMALE INVERTED FLARE TO AN

THREAD	PART NO.
3/8-24"	232-03SS
M10 X 1.0	233-03SS



S/S INVERTED FLARE ADAPTERS

AN	THREAD	PART NO.
-3	3/8-24"	340-03
-3	7/16-24"	341-03
-4	7/16-24"	341-04
-3	9/16-20"	348-03
-3	1/2-20"	342-03
-3	9/16-18"	343-03



S/S DUAL SEAT ADAPTERS

AN	THREAD	PART NO.
-3	M10 x 1.0	344-03
-3	M10 X 1.25	345-03
-3	M12 x 1.0	346-03
-3	3/8-24"	347-03



S/S TAPERED SEAL ADAPTERS

AN	THREAD	PART NO.
-3	1/16" NPT	380-03-01
-4	1/16" NPT	380-04-01
-3	1/8" NPT	380-03
-4	1/8" NPT	380-04
-3	1/8" BSPT	381-03
-4	1/8" BSPT	381-04



SINGLE BILLET CLAMP

SIZE	SILVER	BLACK
3/16 HARDLINE	BPC-05	BPC-05BLK
-3 TEFLON	BPC-06	BPC-06BLK
-4 TELFON	BPC-08	BPC-08BLK



IMPERIAL S/S WASHER SEAL ADAPTERS

AN	THREAD	PART NO.
-3	1/8" BSPP	354-03
-4	1/8" BSPP	354-04
-3	3/8-24"	350-03
-4	3/8-24"	350-04
-3	7/16-20"	353-03
-4	7/16-20"	353-04
-3	7/16-24"	355-03
-4	7/16-24"	355-04
-3	1/2-20"	342-03



DUAL BILLET CLAMP

SIZE	SILVER	BLACK
3/16 HARDLINE	BPC-205	BPC-205BLK
-3 TEFLON	BPC-206	BPC-206BLK
-4 TELFON	BPC-208	BPC-208BLK



METRIC S/S WASHER SEAL ADAPTERS

AN	THREAD	PART NO.
-3	M8 x 1.0	349-03
-3	M10 X 1.0	351-03
-4	M10 x 1.0	351-04
-3	M10 X 1.25	352-03
-4	M10 x 1.25	352-04
-3	M10 X 1.5	356-03
-4	M10 x 1.5	356-04
-3	M12 X 1.0	357-03
-4	M12 x 1.0	357-04
-3	M12 X 1.25	358-03
-4	M12 x 1.25	358-04
-3	M12 X 1.5	359-03
-4	M12 x 1.5	359-04



OIL COOLER (NO FAN) WITH TEMP SWITCH

DESCRIPTION	PART NO.
342 x 228 -10 ORB	OIL-14



OIL COOLER WITH FAN AND TEMP SWITCH

DESCRIPTION	PART NO.
342 x 228 -10 ORB	OIL-14F

Our oil coolers are designed for superior thermal efficiency, making it ideal for engine oil, transmission fluid, and power steering applications. The standard integrated fan delivers up to 480 CFM. We offer a direct bolt on Davis Craig fan for maximum airflow and hi-performance applications requiring consistent temperature control.

- The thermostatic switch activates at 79.5°C (175°F) for automatic fan engagement.
- Suitable for engine oil, transmission and power steering cooling applications.
- Comes with a thermostat, plug, and harness - ready for easy installation.
- Ideal for performance vehicles, towing setups, and heavy-duty applications.

9" DAVIES CRAIG FANS TO SUIT COOLERS


These Davies Craig fans are a direct bolt on and upgrade over the standard fan for hi-performance applications.

DESCRIPTION	CFM	DIMENSIONS (MM)	PART NO.
9" SLIMLINE 12VOLT	591CFM	242H x 250W x 55D	DC-0160
9" HIGH POWER 12VOLT	788CFM	242H X 246W X 68D	DC-0123



ORB TO AN ADAPTERS

SIZE (AN)	PART NO.
-6	920-06-10BLK
-8	920-08-10BLK
-10	920-10BLK
-12	920-12-10BLK



DAVIES CRAIG DISTRIBUTOR

Check out our website for more fittings247.com





YouTube
750ML SINGLE & TWIN BREATHER TANKS



SINGLE BREATHER TANKS

Our 750ml single tanks come with a -10AN but are fitted with a -12 ORB which can be stepped up or down to suit any application. The -12 is great for anyone running a vacuum pump. The billet breather has S/S media that is washable. Our tanks come with a multi pattern bracket which allows you to orientate the tank in any direction. They also come with a billet drain.

CAPACITY	SIZE (H X W)	PART NO.
750ml	320 x 80	BT-750-1BLK

TWIN BREATHER TANKS

Our twin 750ml tanks are the same as the single but with a twin bracket which is also sold separately (BTB-750).

CAPACITY	SIZE (H X W)	PART NO.
1.5 Litre	320 x 175	BT-750-2BLK



FORD BARRA BREATHER ADAPTERS -10

SUITS	PART NO.
FRONT PUSH IN BA, BF, FG -10AN	709-10FBLK
REAR PUSH IN BA, BF, FG -10AN	709-10RBLK



NISSAN BREATHER ADAPTERS

SUITS	AN	PART NO.
SR20/RB25 PRESS IN	-10	708-10-01BLK
RB26 PRESS IN	-10	708-10-02BLK
RB30 SCREW IN	-10	708-10-M19-BLK



PUSH IN BREATHER ADAPTER

BARB	SILVER	BLACK
1 INCH	711-10	711-10BLK
SUIT 1" RUBBER GROMMETS		



LS VALVE COVER BREATHER ADAPTERS

These great little adapters convert the existing oil filler cap to a -10 and allow you to run a breather without any welding or modifications.

AN SIZE	PART NO.
-10	LS-20



BOLT IN BREATHER BULKHEAD

AN	SILVER	BLACK
-10	710-10	710-10BLK



BILLET BREATHER -10 ORB

ORB	SIZE (H X W)	SILVER	BLACK
-10	75mm x 75mm	750-10	750-10BLK
-10	60mm X 50mm	751-10	751-10BLK



CLEAR REINFORCED BREATHER HOSE

PART NO.	ID
410-19-1M	19MM
410-25-1M	25MM
410-32-1M	32MM
410-38-1M	38MM

*SOLD BY THE METRE IN CONTINUOUS LENGTH AS REQUIRED
* FITTINGS TO SUIT LOCATED ON PAGE NINE



DAVIES CRAIG DISTRIBUTOR

Check out our website for more fittings247.com



TRANSMISSION COOLERS AND KITS



247TRANSCOOLERS

247 Plate and fin transcoolers are made with 19mm cores for maximum cooling efficiency with a low pressure drop. Our coolers can be used for Transmission or Powersteering. We offer them in 3/8 barb or -6 ORB for applications where AN fittings are used. This also allows the user to step it up to -8 AN if required.

IN/OUT	DESCRIPTION	PART NO.
-6 ORB	280mm x 255mm X 19mm	TC-280-06
3/8 BARB	Multi hole mounting points	TC-280-38

PRO TRANSCOOLER KITS

MODEL	BLACK HOSE PART NO.	S/S HOSE PART NO.	DESCRIPTION
POWERGLIDE	TC-KITBK-01	TC-KIT-01	ALL KITS COME WITH GEARBOX FITTINGS TO SUIT MODEL.
TH350	TC-KITBK-02	TC-KIT-02	
TH400	TC-KITBK-03	TC-KIT-03	4.5M OF TEFLON HOSE
4L60, 4L60E, 4L80	TC-KITBK-04	TC-KIT-04	
C4, C6	TC-KITBK-05	TC-KIT-05	2 X STRAIGHT FITTINGS
BTR	TC-KITBK-06	TC-KIT-06	
TRIMATIC	TC-KITBK-07	TC-KIT-07	2 X 90 DEGREE FITTINGS
TORQUEFLITE	TC-KITBK-08	TC-KIT-08	
FORD ZF 6HP26	TC-KITBK-09	TC-KIT-09	1 X 280-255 -19mm TRANS COOLER WITH -6ORB FITTINGS
6L80E	TC-KITBK-10	TC-KIT-10	

TRANSMISSION THREAD GUIDE

TRANSMISSION	THREAD	PART NO.
AOD	1/4" NPT	816-06BLK
C4, C6, C10	1/8" NPSM	374-06BLK
FORD ZF 6HP26	O-RING SEAL	376-06BLK, 376-08BLK
JATCO 3 SPEED	M12 X 1.5	731-06BLK
JATCO 4 SPEED	M14 X 1.5	732-06BLK
POWERGLIDE - OEM	1/8" NPT	816-06-02BLK
P/G DEDENBear	1/4 NPT	816-06BLK
TORQUEFLITE	1/8" NPT	816-06-02BLK
TRIMATIC	1/8" NPT	816-06-02BLK
TURBO 350/400/700	1/4" NPSM	375-06
4L60	1/4" NPSM	375-06
6L80	O-RING SEAL	377-06

S/S BANJO BOLTS

247 have designed S/S banjo bolts suit various model P/S racks. Great for clearance for headers and to be able to tighten without breaking like the alloy style. These bolts suit our alloy banjos.

THREAD	PART NO.
M14 x 1.5	725-06SS
M16 X 1.5	714-06SS
M18 x 1.5	715-06SS

ALLOY BANJOS

SIZE	PART NO.
M14 TO -6AN	720-06BLK
M16 TO -6AN	716-06BLK
M18 TO -6AN	717-06BLK

POWER STEER BUMP TUBE ADAPTERS

AN	SIZE	BLACK
6	M14x1.5	740-06BLK
6	M16X1.5	741-06BLK
6	M18x1.5	742-06BLK


INVERTED FLARE ADAPTERS

AN	THREAD	BLACK
6	7/16" X 24	702-06BLK
8	1/2" X 20	703-06BLK
6	1/2" X 20	703-06BLK
6	5/8" X 18	704-08BLK
8	5/8" X 19	704-08BLK
10	5/8" X 20	704-10BLK
6	11/16" X 18	705-06BLK

Anthony Rizk
Mustang 434 Windsor



George Maikhael
Cortina - 471 Windsor



SBH Engineering
VW Extreme - LS



Phil Circosta
VK Blown 355



James
Torana Hatch SBC



Nick Bru
LC Torana - SBC





LS TURBO FRONT TIMING COVERS

AN	DESCRIPTION	PART NO.
2x -10 AN	FRONT CAM SENSOR	LS-210F
2x -10 AN	REAR CAM SENSOR	LS-210R

NOTE: These timing covers come with front seal, gasket and bolts.




LS CAM PLATE

DESCRIPTION	PART NO.
SUIT ALL LS ENGINES	LS-15



LS ENGINE LIFT PLATE

DESCRIPTION	PART NO.
SUIT ALL LS ENGINES	LS-16



LS COIL EXTENSION HARNESS (BRAIDED)

DESCRIPTION	PART NO.
36 INCH LONG	LS-17



LS VALVE COVER BREATHER ADAPTERS

These great little adapters convert the existing oil filler cap to a -10 and allow you to run a breather without any welding or modifications.

AN SIZE	PART NO.
-10	LS-20



LS BILLET OIL BY PASS ADAPTER WITH 1/8TH

Comes with 2 x 1/8th NPT ports (and plugs). Great option for single or twin turbo oil feed, pressure sensors or gauges.

DESCRIPTION	PART NO.
2 X 1/8TH NPT Ports	LS-18



LS BILLET OIL BY PASS BLANKING PLATE

DESCRIPTION	PART NO.
BLANKING PLATE	LS-19



LS PICK UP TUBE CLAMP

Allows the pick up tube to be secured on both sides to prevent o-ring movement and loss of oil pressure resulting in air rated oil supply. Single bolt, easy to install.

DESCRIPTION	PART NO.
SINGLE BOLT & BRACKET	LS-05



LS STEAM PORT BLOCK OFF

DESCRIPTION

Blanking adapter for LS engines

PART NO.

LS-06BLK



SINGLE LS STEAM PORT

Using a steam bleed kit can help to reduce the risk of hotspots and temperature variations across the cylinders, which can lead to engine failure. It can also help to improve cooling and reduce head gasket issues. Complete steam bleed kits available online www.fittings247.com

DESCRIPTION

-4AN single steam port

PART NO.

LS-04BLK



TWIN LS STEAM PORT

DESCRIPTION

-4AN twin steam port

PART NO.

LS-04-2BLK



LS LOW PROFILE PRESSURE ADAPTER

Low profile LS 1/8th pressure sensor adapter. Great option for guys with superchargers, aftermarket manifolds or ECU not using the stock M16 sensor adapter.

THREAD

M16 x 1.5

PART NO.

LS-01



LS OIL PRESSURE ADAPTER

This adapter allows you to use the stock M16 pressure sender and adapt a 1/8th NPT output for an additional sender or turbo feed.

THREAD

M16 x 1.5

PORT

1/8TH NPT

PART NO.

LS-02BLK



LS HEATER BYPASS HOSE

Heater by pass hose is a great option for LS conversion not using a heater.

DESCRIPTION

5/8 - 3/4 stepped hose to suit stock ls water pumps

PART NO.

LS-10



LS HEADER BOLTS (12 PK) 25MM

DESCRIPTION

M8 x 1.25 zinc coated steel

PART NO.

LS-07BLK



LS BILLET FUEL RAILS

DESCRIPTION

BILLET FUEL RAILS LS1

BILLET FUEL RAILS LS2/3

BILLET FUEL RAILS LS7

INJECTOR LENGTH

FULL

SHORT

SHORT & 3/4

PART NO:

RAILS-LS1BLK

RAILS-LS2BLK

RAILS-LS3BLK

#Note injector lengths: FULL - 60.65mm 3/4 - 48.65mm SHORT - 33.60mm



ALLOY BILLET VICE JAWS

SIZE

PART NO.

UNIVERSAL

98-2001



37 DEGREE FLARE TOOL

Our 37 degree single flare tool provides smooth, uniform flares to make converting hard lines to AN fittings easy.

SIZE

PART NO.

1/8 to 3/4 hardline

98-2007



ALLOY BILLET SHIFTER

SIZE

PART NO.

-3AN TO -12AN

98-2003

#Not recommended for the use of assembling fittings



ALLOY BILLET SPANNER SET

SIZE

PART NO.

BILLET 8 PCE SPANNER SET -3 TO -20 (Suit B-Nut)

98-2004



HOSE CUTTERS

DESCRIPTION

LENGTH

PART NO.

Small cutters cut hose (-3 to -12)

45 CM

98-2014

Larger cutters cut hose (-3 to -20)

73 CM

98-2015



TEFLON HOSE CUTTERS

SIZE

PART NO.

-3 & -4

98-2016



HARDLINE PIPE CUTTER

Our durable pipe cutters provide fast, clean and consistent pipe cutting on our alloy, steel and mild steel pipe.

DESCRIPTION

3-28mm hardline

PART NO.

98-2013



BRAKE LINE BENDER

Hand held brake line bender, suit 1/8 -3/16 brakeline.

DESCRIPTION

BRAKE LINE BENDER

PART NO.

98-2011



PIPE STRAIGHTENER

Vice mounted pipe straightener for brake and fuel hardlines.

DESCRIPTION

3/16 to 1/2 hardline

PART NO.

98-2012



PUSH LOCK CLAMP PLIERS

Clamps pliers used for our intank hose clamps and push lock hose clamps. Also suits spring loaded clamps seen in most engine bays.

DESCRIPTION

Pliers to secure the 400c clamps

PART NO.

98-2017



MOLYTEC 3565 THREAD SEALANT

UltraLoc 3565 is a controlled strength, high performance thread sealant containing Teflon. Applied to tapered fittings it will aid in sealing and prevent binding of the fine alloy threads. Suitable to seal water, petrol, oils and other chemicals.

DESCRIPTION

50ml TUBE

PART NO.

MOLYTEC 3565



MOLYTEC M830 PTFE SPRAY

Supa Squirt M830 is a powerful lubricating fluid that contains PTFE. We use this powerful water dispersing spray in the assembly of all hose ends. This will clean the threads and prevent binding of the sockets.

DESCRIPTION

400gm

PART NO.

MOLYTEC M830



STRAIGHT SILICONE JOINER (75MM LONG)

ID	PART NO.
1.5" (38MM) I.D.	S150BLK
1.75" (45MM) I.D.	S175BLK
2" (51MM) I.D.	S200BLK
2-3/16" (55MM) I.D.	S2187BLK
2.25" (57MM) I.D.	S225BLK
2-3/8" (60MM) I.D.	S2375BLK
2.5" (63MM) I.D.	S250BLK
2.75" (70MM) I.D.	S275BLK
3" (76MM) I.D.	S300BLK
3.25" (83MM) I.D.	S325BLK
3.5" (90MM) I.D.	S350BLK
3.75" (95MM) I.D.	S375BLK
4" (102MM) I.D.	S400BLK
5" (127MM) I.D.	S500BLK



STRAIGHT SILICONE REDUCER (102MM LONG)

ID	PART NO.
1.75" - 1.5" (45-38MM) I.D.	S175-150BLK
2" - 1.5" (51-38MM) I.D.	S200-150BLK
2" - 1.75" (51-45MM) I.D.	S200-175BLK
2.25" - 2" (57-51MM) I.D.	S225-200BLK
2.5" - 2" (63-51MM) I.D.	S250-200BLK
2.5" - 2.25" (63-57MM) I.D.	S250-225BLK
2.75" - 2.00" (70-51MM) I.D.	S275-200BLK
2.75" - 2.5" (70-63MM) I.D.	S275-250BLK
2.75" - 2.25" (70-57MM) I.D.	S275-225BLK
3" - 2" (76-51MM) I.D.	S300-200BLK
3" - 2.25" (76-57MM) I.D.	S300-225BLK
3" - 2.5" (76-63MM) I.D.	S300-250BLK
3" - 2.75" (76-70MM) I.D.	S300-275BLK
3.25" - 2.25" (83-57MM) I.D.	S325-225BLK
3.25" - 2.5" (83-63MM) I.D.	S325-250BLK
3.25" - 2.75" (83-70MM) I.D.	S325-275BLK
3.25" - 3" (83-76MM) I.D.	S325-300BLK
3.50" - 2.25" (90-57MM) I.D.	S350-225BLK
3.50" - 2.50" (90-63MM) I.D.	S350-250BLK
3.50" - 2.75" (90-70MM) I.D.	S350-275BLK
3.50" - 3.00" (90-76MM) I.D.	S350-300BLK
3.50" - 3.25" (90-83MM) I.D.	S350-325BLK
3.75" - 3.25" (95-83MM) I.D.	S375-325BLK
3.75" - 3.00" (95-76MM) I.D.	S375-300BLK
3.75" - 3.50" (95-90MM) I.D.	S375-350BLK
4.00" - 2.00" (102-51MM) I.D.	S400-200BLK
4" - 2.5" (102-63MM) I.D.	S400-250BLK
4" - 3" (102-76MM) I.D.	S400-300BLK
4.00" - 3.25" (102-83MM) I.D.	S400-325BLK
4" - 3.5" (102-89MM) I.D.	S400-350BLK
4.00" - 3.75" (102-95MM) I.D.	S400-375BLK



45° SILICONE REDUCER

SIZE	PART NO.
2.25" - 2" (57-51MM) I.D.	S45-225-200BLK
2-3/8" - 2.00" I.D.	S45-2375-200BLK
2.5" - 2" (63-51MM) I.D.	S45-250-200BLK
3" - 2" (76-51MM) I.D.	S45-300-200BLK
2.5" - 2.25" (63-57MM) I.D.	S45-250-225BLK
2.75" - 2-3/8" (70-60MM) I.D.	S45-275-2375BLK
2.75" - 2.5" (70-63MM) I.D.	S45-275-250BLK
3" - 2.25" (90-57MM) I.D.	S45-300-225BLK
3" - 2.5" (76-63MM) I.D.	S45-300-250BLK
3" - 2.75" (76-70MM) I.D.	S45-300-275BLK
3.25" - 2.50" (83-63MM) I.D.	S45-325-250BLK
3.5" - 2.5" (90-63MM) I.D.	S45-350-250BLK
3.5" - 3" (90-76MM) I.D.	S45-350-300BLK
4" - 3" (102-76MM) I.D.	S45-400-300BLK
4" - 3.5" (102-90MM) I.D.	S45-400-350BLK



45° SILICONE ELBOW

SIZE	PART NO.
1.5" (38MM) I.D.	S45-150BLK
2" (51MM) I.D.	S45-200BLK
2-3/16" (55MM) I.D.	S45-2187BLK
2.25" (57MM) I.D.	S45-225BLK
2 (63MM) I.D.	S45-250BLK
2.75" (70MM) I.D.	S45-275BLK
3" (76MM) I.D.	S45-300BLK
3.25" (83MM) I.D.	S45-325BLK
3.5" (90MM) I.D.	S45-350BLK
4" (102MM) I.D.	S45-400BLK



90° SILICONE ELBOW

SIZE	BLACK
1.5" (38MM) I.D.	S90-150BLK
1.75" (45MM) I.D.	S90-175BLK
2" (51MM) I.D.	S90-200BLK
2-3/16" (55MM) I.D.	S90-2187BLK
2.25" (57MM) I.D.	S90-225BLK
2-3/8" (60MM) I.D.	S90-2375BLK
2.5" (63MM) I.D.	S90-250BLK
2.75" (70MM) I.D.	S90-275BLK
3" (76MM) I.D.	S90-300BLK
3.25" (86MM) I.D.	S90-325BLK
3.5" (90MM) I.D.	S90-350BLK
3.75" (95MM) I.D.	S90-375BLK
4" (102MM) I.D.	S90-400BLK

90° SILICONE REDUCER

SIZE	BLACK
2" - 1.5" (51-38MM) I.D.	S90-200-150BLK
2" - 1.75" (51-45MM) I.D.	S90-200-175BLK
2-3/8" - 2" (60-51MM) I.D.	S90-2375-200BLK
2.25" - 2" (57-51MM) I.D.	S90-225-200BLK
2.5" - 2" (63-51MM) I.D.	S90-250-200BLK
2.5" - 2.25" (63-57MM) I.D.	S90-250-225BLK
2.75" - 2" (70-51MM) I.D.	S90-275-200BLK
2.75" - 2-3/8" (70-60MM) I.D.	S90-275-2375BLK
2.75" - 2.5" (70-63MM) I.D.	S90-275-250BLK
3" - 2" (75-51MM) I.D.	S90-300-200BLK
3" - 2.25" (90-57MM) I.D.	S90-300-225BLK
3" - 2.5" (76-63MM) I.D.	S90-300-250BLK
3" - 2.75" (76-70MM) I.D.	S90-300-275BLK
3.25" - 2.50" (86-63MM) I.D.	S90-325-250BLK
3.25" - 3" (83-76MM) I.D.	S90-325-300BLK
3.5" - 2.5" (90-63MM) I.D.	S90-350-250BLK
3.5" - 3" (90-76MM) I.D.	S90-350-300BLK
4" - 3" (102-76MM) I.D.	S90-400-300BLK
4" - 3.5" (102-90MM) I.D.	S90-400-350BLK



135° SILICONE HOSE ELBOW

SIZE	BLACK
1.5" (38MM) I.D.	S135-150BLK
2" (51MM) I.D.	S135-200BLK
2.5" (63MM) I.D.	S135-250BLK
3" (76MM) I.D.	S135-300BLK
3.5" (90MM) I.D.	S135-350BLK
4" (102MM) I.D.	S135-400BLK

180° SILICONE HOSE ELBOW

SIZE	BLACK
2" (51MM) I.D.	S180-200BLK
2-1/2" (63MM) I.D.	S180-250BLK
3" (76MM) I.D.	S180-300BLK
3-1/2" (90MM) I.D.	S180-350BLK
4" (102MM) I.D.	S180-400BLK



SILICONE VACCUM HOSE

SIZE	PART NO.
1/8" (3MM) I.D	SV-03-1MBLK
5/32" (4MM) I.D	SV-04-1MBLK
3/16" (5MM) I.D	SV-05-1MBLK
1/4" (6MM) I.D	SV-06-1MBLK
5/16" (8MM) I.D	SV-08-1MBLK
3/8" (10MM) I.D	SV-10-1MBLK
1/2" (12MM) I.D	SV-12-1MBLK
9/16" (14MM) I.D	SV-14-1MBLK
5/8" (16MM) I.D	SV-16-1MBLK
3/4" (18MM) I.D	SV-18-1MBLK

SILICONE HUMP HOSE

SIZE	PART NO.
2" (51MM) I.D (102MM) LONG	SH-200BLK
2.5" (63MM) I.D (102MM) LONG	SH-250BLK
3" (76MM) I.D (102MM) LONG	SH-300BLK
3.5" (90MM) I.D (102MM) LONG	SH-350BLK
4" (102MM) I.D (102MM) LONG	SH-400BLK



1 METRE LENGTH SILICONE STICKS

SIZE	PART NO.
2" (51MM) I.D	S200-1MBLK
2.5" (63MM)	S250-1MBLK
3" (76MM) I.D	S300-1MBLK
3.5" (90MM) I.D	S350-1MBLK
4" (102MM) I.D	S400-1MBLK



BLACK HEAVY DUTY S/T-BOLT CLAMPS

SUIT	PART NO.
2.00"	TB-200
2.25"	TB-225
2.50"	TB-250
2.75"	TB-275
3.00"	TB-300
3.25"	TB-325
3.50"	TB-350
3.75"	TB-375
4.00"	TB-400

BLACK S/S DUEL BAND HOSE CLAMP

ID (MM)	PART NO.
26-39	HC-2639BLK
39-56	HC-3956BLK
48-65	HC-4865BLK
63-80	HC-6380BLK
73-90	HC-7390BLK
78-95	HC-7895BLK
85-105	HC-85105BLK
100-120	HC-100120BLK



SILICONE HEATER HOSE (3 METRE LENGTHS)

SIZE	LENGTH	TEMP °C	PART NO.
13mm - 1/2	3M	-65 TO 180	SH-13-3M
16MM - 5/8	3M	-65 TO 180	SH-16-3M
19mm - 3/4	3M	-65 TO 180	SH-19-3M



ZIP UP HOODIE

DESCRIPTION	PART NO.
SMALL 247 - HOODIE	247-HOODIE-S
MEDIUM 247 - HOODIE	247-HOODIE-M
LARGE 247 - HOODIE	247-HOODIE-L
X-LARGE 247 - HOODIE	247-HOODIE-XL
XX LARGE 247 - HOODIE	247-HOODIE-XXL



SINGLETS

DESCRIPTION	PART NO.
SMALL 247-SINGLET	247-SINGLET-S
MEDIUM 247-SINGLET	247-SINGLET-M
LARGE 247-SINGLET	247-SINGLET-L
X LARGE 247-SINGLET	247-SINGLET-XL
XX LARGE 247-SINGLET	247-SINGLET-XXL
XXX LARGE 247-SINGLET	247-SINGLET-XXXL



SHIRTS

DESCRIPTION	PART NO.
SMALL 247 SHIRT	247-SHIRT-S
MEDIUM 247 SHIRT	247-SHIRT-M
LARGE 247 SHIRT	247-SHIRT-L
X-LARGE 247 SHIRT	247-SHIRT-XL
XX LARGE 247 SHIRT	247-SHIRT-XXL
XXX LARGE 247 SHIRT	247-SHIRT-XXXL



HATS

DESCRIPTION	PART NO.
FLEXFIT REAR LOGO LARGE/XLARGE	247-HATREAR-LXL
FLEXFIT REAR LOGO SMALL/MEDIUM	247-HATREAR-SM
FLEXFIT FRONT LOGO LARGE/XLARGE	247-HATFRONT-LXL
FLEXFIT FRONT LOGO SMALL/MEDIUM	247-HATFRONT-SM



BANNERS

DESCRIPTION	PART NO.
1M X 1M 247 BANNER	247-BANNER1
2M X 1M 247 BANNER	247-BANNER2



STICKERS

DESCRIPTION	PART NO.
247 STICKER ORANGE 70mm	247-STICKER1
247 STICKER ORANGE 150mm	247-STICKER2
247 STICKER ORANGE 300mm	247-STICKER3
247 STICKER CARBON 70mm	247-STICKER4
247 STICKER CARBON 150mm	247-STICKER5
247 STICKER CARBON 300mm	247-STICKER6

FITTING SIZING & IDENTIFICATION CHART

SOCKET NUT HEX NUT ANGLE B-NUT STRAIGHT HEX NUT



AN FITTING & THREAD IDENTIFICATION CHART

AN SIZE	AN THREAD	B-NUT GUIDE SIZE	ANGLED HEX NUT SPANNER SIZE	STRAIGHT HEX NUT SPANNER SIZE
-3	3/8"-24	1/2" - 12.7mm	1/2"	1/2"
-4	7/16"-20	9/16" - 14.3mm	9/16"	9/16"
-5	-	-	-	-
-6	9/16"-18	11/16" - 17.4mm	5/8"	11/16"
-8	3/4"-16	7/8" - 22.2mm	7/8"	7/8"
-10	7/8"-14	1" - 25.4mm	1"	1"
-12	1 1/16"-12	1 1/4" - 31.75mm	1 1/16"	1 1/4"
-16	1 5/16"-12	1 1/2" - 38.1mm	1 5/16"	1 1/2"
-20	1 5/8"-12	1 3/16" - 46.03mm	1 3/4"	1 3/4"

HOSE AND HARDLINE EQUIVALENT SIZING CHART

HOSE SIZE	BRAIDED HOSE ID	TEFLON HOSE ID	PUSH LOCK HOSE ID	HARD LINE O.D EQUIVALENT
-3	-	3.5mm	-	4.78mm - 3/16"
-4	5.5mm	4.8mm	6.35mm	6.35mm - 1/4"
-5	6.4mm	-	7.95mm	7.95mm - 5/16"
-6	8.7mm	8.1mm	9.5mm	9.5mm - 3/8"
-8	11.1mm	10.6mm	12.7mm	12.7mm - 1/2"
-10	14.3mm	12.9mm	15.8mm	15.8mm - 5/8"
-12	17.5mm	16.2mm	19.05mm	19.05mm - 3/4"
-16	22.2mm	-	-	-
-20	26.7mm	-	-	-

Clayton & Melissa Gow
Datsun 1200 Ute, LSA 6.2



Tim Barby
Mojo, LS Blown Twin carbie

Adel Elmir
EVO 2, 4G63 2.2L Turbo




Michael Shipton
Ford Ranger, LS1

David Aspite
VL Commodore, Turbo 402c LS



Bryan El-Hassan
99 WRX, 2.5 Turbo



FUELING YOUR HEARTBEAT



**SHOP
NOW**



**CUSTOMER
LOG IN**



**BUSINESS
REGISTRATION
FORM**

FITTINGS247.COM.AU